



India Government Mint,  
Alipur, Kolkata Pin- 700053 India  
Ph. No: 91-33-24014132-35, 24014821  
Fax No: 033-24010553 CIN: U22213DL2006GOI144763  
E-Mail: calmint@spmcil.com  
Web: www.igmkolkata.spmcil.com  
GSTIN : 19AAJCS6111J2Z4  
IEC Code:506051536 PAN No: AAJCS6111J

Not Transferable

Security Classification:

**TENDER DOCUMENT FOR HIRING OF: CONSTRUCTION OF ROAD ALONGWITH SURFACE DRAIN AND ONE NUMBER UNDERGROUND SUMP WITH PUMP HOUSE AT INDIA GOVT. MINT RESIDENTIAL COLONY, KOLKATA.**

**Tender Number: 6000018060, Dated: 12.07.2023**

This Tender Document Contains \_\_\_\_\_ Pages.

Tender Document is issued to :

( )

Details of Contact person in SPMCIL regarding this tender:

**Name** Nayan Nikhil Sarkar  
**Designation** Dy.General Manager (T.O)  
**Address** IGMK (India Government Mint, Kolkata)  
India  
**Email**  
**Phone**  
**Fax**

### ***Disclaimer***

The information contained in this Bid Document or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of the Security Printing and Minting Corporation Limited (hereafter referred as the "Purchaser") or any of its employees or associated agencies, is provided to Bidder(s) on the terms and conditions set out in this Bid Document and such other terms and conditions subject to which such information is provided.

This Bid Document is not an agreement and is neither an offer nor invitation by the Purchaser to the prospective Bidder(s) or any other party hereunder. The purpose of this Bid Document is to provide the Bidder(s) with information to assist them in the formulation of their proposal submission. This Bid document does not purport to contain all the information Bidder(s) may require. This Bid document may not be appropriate for all bidders, and it is not possible for the Purchaser to consider particular needs of each Bidder. Each Bidder should conduct its own investigation and analysis, and should check the accuracy, reliability, and completeness of the information in this document and obtain independent advice from appropriate sources.

Information provided in this Bid Document to the Bidder(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Purchaser, its employees and other associated agencies accept no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

This Bid document and ensuing bids; communications and Contracts would alone determine the legal and commercial relationship between the bidders/ contractors and the Purchaser. No other Government or Purchaser's document/ guidelines/Manuals including its Procurement Manual (which are for internal and official use of its officers), have any locus standii in such a relationship. These documents/guidelines/ Manuals therefore should not be cited or referred in any legal or dispute resolution or grievance redressal proceedings.

The Purchaser, its employees and other associated agencies make no representation or warranty and shall have no liability to any person, including any Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Bid Document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Bid Document and any assessment, assumption, statement or information contained therein or deemed to form part of this Bid Document or arising in any way for participation in this Bid Stage.

The Purchaser, its employees and other associated agencies also accept no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Bidder(s) upon the statements contained in this Bid Document.

The Purchaser may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this Bid Document.

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

The Bidder(s) shall bear all its costs associated with or relating to the preparation and submission of their Bids including but not limited to preparation, copying, postage, delivery fees, expenses associated with any submission of samples, demonstrations or presentations which may be required by the Purchaser or any other costs incurred in connection with or relating to their Bids. All such costs and expenses will remain with the Bidder(s) and the Purchaser shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Bidder(s) in preparation or submission of the Bid, regardless of the conduct or outcome of the Bidding Process.

This disclaimer forms an integral part of the Bid document and shall supplement but not supplant the provision of the Bid Document.

## Section I: Notice Inviting Tender (NIT)

6000018060 /

(SPMCIL's Tender SI No.)

12.07.2023

(Date)

1. Sealed tenders are invited from eligible and qualified tenderers for supply of the following:

GeM - Availability Report and Past Transaction Summary - ID(as per para 13 a below):

Schd. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rs.)	Remarks
1	Road and RCC drain	1.000 AU	Rs.5,00,000/- (Rupees Five Lakhs Only)	
1	P/C of sub grade	7650.000M2		
2	S/F of ground with silver sand	765.000M3		
3	Construction of dry lean concrete	765.000M3		
4	P/I of mix cement concrete	1020.000M3		
5	Bricks of class designation 7.5	3580.000 M3		
6	P/F of expansion joints in roads	3140.000M		
7	E/W of excavation	2300.000M3		
8	P/L of brick soling	7950.000M2		
9	P/L of reinforced cement concrete	610.000M3		
10	Steel reinforcement R.C.C work	44000.000K G		
11	Cement concrete floating 1:2:4	1800.000M2		
12	12 mm cenemt plaster 1:3	5400.000M2		
13	S/D of ground including removing	30000.000M2		
2	Approach Path to Building	1.000 AU		
1	Surface Dressing of the ground	650.000M2		
2	Brick edging	950.000M		

Schd. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rs.)	Remarks
3	S/F at ground with silver sand	65.000M3		
4	P/L cement concrete	65.000M3		
5	Cement concrete floating 1:2:4	60.000M3		
6	C/S of columns	200.000M2		
7	P/L in position Bitumen hot sealing	1350.000M		
8	P/H & fixing above plinth level	10.000M3		
9	Steel reinforcement R.C.C work	800.000KG		
3	Construction of Underground Sump	1.000 AU		
1	Demolishing R.C.C work manually	190.000M3		
2	E/W of excavation	180.000M3		
3	Hiring Charges of Diesel Generator pump	20.000DAY		
4	Close timbering	90.000M2		
5	P/L of brick soling	75.000M2		
6	P/L of PCC	12.000M3		
7	P/L of reinforced cement concrete	51.000M3		
8	Steel reinforcement R.C.C work	6750.000KG		
9	C/S of columns	250.000M2		
10	Cement concrete floating 1:2:4	60.000M2		
11	15 mm cement plaster 1:3	250.000M2		
12	Brick class designation 7.5	7.500M3		
	12 mm cement plaster of mix	35.000M2		

Schd. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rs.)	Remarks
13				
14	15 mm cement plaster 1:4	35.000M2		
15	Finishing wall with acrylic paint	70.000M2		
16	P/F of MS underground sump	20.000EA		
17	S/F of reinforced cement concrete	3.000EA		
18	S/F of rolling shutters	5.250M2		
19	Panting with synthetic enamel paint	11.000M2		
20	Constructing brick masonry manhole	2.000EA		
4	Construction of culvert	1.000 AU		
1	Earth work Hydraulic excavator	105.000M3		
2	P/L of brick soling	125.000M2		
3	P/L of position cement concrete	12.500M3		
4	Brick work	40.000M3		
5	P/L of reinforced cement concrete	16.000M3		
6	Steel reinforcement for R.C.C work	1950.000KG		
7	C/S of columns	90.000M2		
8	Cement concrete floating 1:2:4	60.000M2		
9	15 mm cement plaster 1:3	160.000M2		
5	Construction of Miscellaneous items	1.000 AU		
1	Taking out C.I cover with frame	20.000EA		
	Raising manhole cover and	20.000EA		

Schd. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rs.)	Remarks
2	frams slab			
3	Brick work	40.000M3		
4	15 mm cement plaster 1:3	300.000M2		
5	Excavating trenches	400.000M		
6	P/L of iron pipes	400.000M		
7	Providing lead joints	80.000EA		
8	Supplying pig lead	120.000KG		
9	P/L of flanged joint	400.000KG		
10	P/F of G.I. 50mm dia nominal bore	150.000M		
11	P/F of G.I. 80mm dia nominal bore	100.000M		
12	Painting G.I. pipes 50mm dia nominal bor	150.000M		
13	Painting G.I. pipes 80mm dia nominal bor	100.000M		
14	P/L of metal gate 50mm	10.000EA		
15	P/L of metal gate 80mm	6.000EA		
16	P/F of G.I. union 50mm dia nominal bore	10.000EA		
17	P/F of G.I. union 80mm dia nominal bore	6.000EA		
18	Renewing buttom rail of collapsible gate	70.000KG		
19	Cleaning of chocked sewer line	250.000M		
6	Electrical work for construction of road	1.000 AU		
1	S/F of protective cover	2.000EA		
	Cutting holes of brick masonry	2.000EA		

Schd. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rs.)	Remarks
2	wall			
3	Supplying 30 HP centrifugal pumps	2.000EA		
4	S/F of feeder pillar	1.000nos		
5	S/F of PVC power cable	800.000M		
6	S/F of 1.5 sq mm copper cable	100.000M		
7	S/M of aluminium conductor cable of 1.1kv	4.000SET		
8	P/F of 6 SWG dia G.L cable	1700.000M		
9	S/F of 16 sq mm copper cable	400.000M		
10	1.5 sq mm FRLS PVC copper conductor	5.000P		
11	Earth pipe 4.5 m long 40 m dia	2.000nos		
12	S/F of modules GI box	1.000nos		
13	S/F of 15/16 A switch	4.000nos		
14	S/F of 3 pin 5/6 A socket outlet	4.000nos		
15	S/F of 8 way double door	1.000nos		
16	S/F of 22 watt tube light	6.000nos		

Type of Tender (Two Bid/ PQB/ EOI/ RC/ Development/ Indigenization/ Disposal of Scrap/ Security Item etc.)	THREE-BID National Competitive Bid
Authority in whose favour all tender related financial instruments (FD, DD, Banker's cheque etc.) are to be made	India Govt. Mint, Kolkata ( A unit of SPMCIL)
All Financial Instruments to be payable at :	India Govt. Mint, Kolkata ( A unit of SPMCIL)
Dates and place of issue of tender documents:	M/S. MSTC LTD. E-TENDERING PORTAL From 12.07.2023 to 11.08.2023 during office hours.
Pre-Bid Conference :	Not Applicable
Closing date and time for receipt of tenders	11.08.2023 15:00:00



SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

Place of receipt of tenders	THROUGH E-TENDERING PORTAL I.E. M/S. MSTC LTD.( <a href="https://www.mstcecommerce.com/eproc/">https://www.mstcecommerce.com/eproc/</a> )
Time and date of opening of tenders for Technical Bid. (Place, Time, and date of Opening of Price (Financial) bid would be intimated later on)	11.08.2023 15:30:00
Place of opening of tenders	M/S. MSTC LTD. E-TENDERING PLATFORM ( <a href="https://www.mstcecommerce.com/eproc/">https://www.mstcecommerce.com/eproc/</a> )
Nominated Person/ Designation to Receive Bulky Tenders (Clause 21.1 of GIT)	Nayan Nikhil Sarkar Dy.General Manager (T.O)
Officer to be contacted for clarifications/ help :	Nayan Nikhil Sarkar

ABBREVIATION "AU" Activity Unit , "EA" EACH,"M" Meter, "M2" Square Meter, "M3" Cubic Meter, "nos." NUMBERS, "KG" Kilogram, "DAY" DAY , "SET" SET, "P" POINTS & "IGM" India Govt. Mint

2. Tenderer may also download the tender documents from the web site [www.igmkolkata.spmcil.com](http://www.igmkolkata.spmcil.com)

3. Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.

4. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order (as amended/ revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, (as amended/ revised).

5. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website mentioned above for further details.

6. Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document (Through e-tendering portal i.e. MSTC E-Commerce portal: (<https://www.mstcecommerce.com/eproc/>) the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).

7. Bidders may upload their bids through e-tendering portal i.e. MSTC E-Commerce portal), bidders must upload their bids along with scanned copies as required enclosures (including proof of cost of EMD as applicable) as per instructions given in this regard. Original copy of such scanned uploaded EMD, must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.

8. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.

9. The tender documents are not transferable.

10. The bidder, their affiliates, or subsidiaries - including subcontractors or suppliers for any part of the contract - should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).

11. Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are to be uploaded in M/s. MSTC Ltd. e-tendering portal within stipulated date and time as per tender documents.





## 12. SUBMISSION OF TENDER :

i. E-Tender will consist of Three Bid system

**PART 1** : Pre-Qualification bid(PQB)

**PART 2** : Techno-commercial Bid (TCB)

**PART 3** : Financial/ Price Bid.

ii. The tenderer is requested to bifurcate their quotations in following three parts:

**PART-1** : Pre- Qualification Bid (PQB) – To qualify PQB, the following documents to be submitted by the bidder-

(a)Containing un priced documents consisting of experience, past performance, capacity/capability related data, financial standing data, declaration etc. as specified under Section IX in this tender document. (b) Section X: Tender form with Make in India Declaration duly mentioning the percentage of local content & Section XII: Vendor details duly filled, sealed & signed

(c) Proof of EMD(scanned copy) as applicable or any exemption certificate, Copy of PAN & GSTIN Certificate.

**Note** : Earnest Money Deposit (EMD) in original shall be sent to The Chief General Manager, India Government Mint, Kolkata so as to reach within 5 days from the date of tender opening.

**PART-2** : Techno-Commercial Bid(TCB) - To qualify TCB, the following documents to be submitted by the bidder-

(a) Containing Technical Specifications as per Section VII of tender document (Duly Signed & Stamped)

(b) Entire Tender Document (including 45 pages of GIT & 29 Pages of GCC) duly signed and stamped on every page.(Acceptance to all term and condition of the tender without any deviations)

**PART-3** : Financial Bid - To qualify Financial Bid, the following documents to be submitted by the bidder-

(a) Contains Price quotation/Offer for the tendered item as per Section XI: Price schedule of tender document.

PRICE TO BE MENTIONED ONLY IN PRICE BID NOT IN TECHNO COMMERCIAL BID OR ANY OTHER PLACE. IF IT IS MENTIONED ANY OTHER PART OTHER THAN PRICE BID, THE OFFER WILL BE REJECTED.

iii. PART 1- Pre-Qualification Bid, PART 2-Techno-commercial Bid and PART 3 - Financial/ Price Bid are to be submitted through e-tendering portal i.e. MSTC E-Commerce portal) on or before the due date of submission of tenders.

iv. Techno-commercial bid will be considered of those firms who will qualify in PQB bid and further Price bid will be considered of those firms who will qualify in the Techno-commercial bid.

13. Undersigned confirms that the required goods mentioned above are not available on GeM as per following GeM - Availability Report and Past Transaction Summary (GeM -AR&PTS):

This unique ID is : GEM/GARPTS/02112022/J54P7067OSUY

14. In case of order material in your favour for above Rs.2,50,000/- the supplier shall furnish the performance security amount/ Security Deposit (S.D) 10% of the total contract amount valid for 60 days beyond completion of all contractual obligations before supply of material within 21 days after issue of Purchase order by India Govt. Mint, Kolkata in favour of "India Govt. Mint, Kolkata (A Unit of SPMCIL)" payable at Kolkata. The performance security will be returned without any interest to successful tenderer after the completion of all contractual obligations. For Submission of Security Deposit, Section XV: Bank Guarantee Form for Performance Security may please be referred.

15. NO EXEMPTION WILL BE GIVEN FOR DEPOSITING OF SECURITY DEPOSIT (S.D) TO ANY DIC/SSI/MSME/NSIC REGISTERED FIRM.



16. EXEMPTION FOR MSME REGISTERED STARTUPS/BIDDERS AS PER ORDER ISSUED BY GOVT. OF INDIA, MINISTRY OF MSME.

17. MSEs firms are also requested to indicate clearly in their offer if their company is owned by SC/ST/Womenproprietorship.

18. The details of EMD is mentioned in Section VI : List of Requirements

19. Clarification of Tender Documents : A Tenderer requiring any clarification or elucidation on any issue of the tenderdocuments may take up the same with India Govt. Mint, Kolkata in writing or by fax/e-mail.

20. For any queries regarding the tender, you may please contact at E-mail: [purchase.igmk@spmcil.com](mailto:purchase.igmk@spmcil.com)

21. All the copies of the tender shall be duly signed at the appropriate places as indicated in the tender documents and all other pages of the tender including printed literature, if any shall be initialled by the same person(s) signing the tender. The tender shall not contain any erasure or overwriting, except as necessary to correct any error made by the tenderer and, if there is any such correction; the same shall be initialled by the person(s) signing the tender.

## 22. FAILURE & TERMINATION

(A) Cancellation of contract for Default : Without prejudice to any other remedy for breach of contract, like removal from the list of registered Vendors, by written notice of default sent to the Vendor, the contract may be terminated in whole or in part :

(i) If the Vendor fails to provide any or all the material/services within the time period(s) specified in the contract, or any extension thereof granted.

(ii) If the Vendor fails to perform any other obligation under the contract within the period(s) specified in the contract or any extension thereof granted.

(B) Termination of Contract for convenience : India Govt. Mint, Kolkata may at any time terminate the Contract by giving you month's prior notice in writing to that effect and shall have the liberty to appoint any other agency to carry out your obligation under this contract.

.....  
(Sri Nayan Sarkar)  
DGM(TO)/ MATERIALS HEAD  
FOR CHIEF GENERAL MANAGER  
India Government Mint, Kolkata  
West Bengal, Kolkata - 700 053  
Ph.No.033 - 2401 4132-35, 2401 4821(336, 319, 326)  
Email: [purchase.igmk@spmcil.com](mailto:purchase.igmk@spmcil.com)



---

## **Section II: General Instructions to Tenderers (GIT)**

### **Part I: General Instructions Applicable to all type of Tenders**

---

PLEASE CLICK ON BELLOW LINK.

<https://spmCIL.com/uploaddocument/GIT/new.pdf>

BIDDERS ARE REQUESTED TO DOWNLOAD 45 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT. UNSIGNED/WITHOUT STAMPED PRINTOUTS OF THESE PAGES ARE NOT ACCEPTABLE.



## **Section III: Special Instructions to Tenderers (SIT)**

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

<b>Sr No</b>	<b>GIT Clause No.</b>	<b>Topic</b>	<b>SIT Provision</b>
01	3.4 & 4	Eligible Goods and Services (Origin of Goods)	1. All goods and services to be supplied and provided for the contract shall have the origin in India or in the countries with which the Government of India has trade relations. 2. The word "origin" incorporated in this clause means the place from where the goods are mines, cultivated, grown, manufactured, produced or processed or from where the service are arranged.
02	9	Time Limit for receiving request for clarification of Tender Documents	A Tenderer requiring any clarification or elucidation on any issue of the tender documents may take up the same with India Govt. Mint, Kolkata in writing or by fax/ e-mail/ telex. India Govt. Mint, Kolkata will respond in writing to such request provided the same is received by India Govt. Mint, Kolkata not later than 21 days prior to the prescribed date of submission of tender.
03	18	Earnest Money Deposit (EMD)	Refer section VI: List of Requirements.
04	11.2	Tender Currency	Supplier is requested to quote price within 2 Decimal place. Quotation with price quote beyond 2 decimal place is ignored.
05	19	Tender Validity	180 days from the date of opening of the Pre-qualification bid.
06	20.4	Number of Copies of Tenders to be submitted	One copy through M/s. MSTC Ltd. e-tendering portal.
07	20.9	E-Procurement	Yes, through M/s. MSTCLtd. e-tendering portal.
08	35.2 to 35.6	Additional Factors for Evaluation of Offers and Preferential schemes	As mentioned in point no.4 of NIT.
09	50	Tender For rate Contracts	NA
10	51	PQB Tenders	Yes, as per NIT

11	Special Condition	Special Condition	Supplier should file the returns pertaining to TCS (Section 206C (1H) for TCS collected, in the time and provide the TCS certificate to India Govt. Mint, Kolkata. In case of any Credit loss to India Govt. Mint, Kolkata by way of their failure to files Returns and provide TCS certificate in time, India Govt. Mint, Kolkata reserves the right to recover the amount equivalent to TCS paid along with applicable interest from the payment of further supplies.
12	Special Condition	GST Return	Supplier should file the GST return for outward supplies in time. In case of any loss to India Govt. Mint, Kolkata by way of their failure to files GST Returns in time India Govt. Mint, Kolkata reserves the right to withhold the payment of further supplies till production of evidence. Any liability which will occurred on account of non-compliance of e-way bill, GST provision or any other applicable law will be borne by supplier.



---

## **Section IV: General Conditions of Contract (GCC)**

### **Part I: General Conditions of Contract applicable to all types of Tenders**

---

PLEASE CLICK ON BELLOW LINK.

<https://spmcil.com/uploaddocument/GCC/new.pdf>

BIDDERS ARE REQUESTED TO DOWNLOAD 29 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT. UNSIGNED/WITHOUT STAMPED PRINTOUTS OF THESE PAGES ARE NOT ACCEPTABLE.



---

## **Section IV: General Conditions of Contract (GCC)**

### **Part II: Additional General Conditions of Contract for specific types of Tenders**

---

PLEASE CLICK ON BELLOW LINK.

<https://spmcil.com/uploaddocument/GCC/new.pdf>

BIDDERS ARE REQUESTED TO DOWNLOAD 29 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT. UNSIGNED/WITHOUT STAMPED PRINTOUTS OF THESE PAGES ARE NOT ACCEPTABLE.



## Section V: Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

Sl.No	GCC Clause No.	Topic	SCC Provision
01	8.2	Packing	N.A
02	8.2	Marking	N.A
03	10	Delivery Schedule (on F.O.R India Govt. Mint basis)	The work should be completed within 12 months from the date of issue of India Govt. Mint Purchase order.
04	11.2	Transportation of Domestic Goods	To be borne by the supplier.
05	12.1	Insurance	The supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and deliver as per clause no. 12.3, 12.4 bear by firm.
06	16.2	Warranty Clause	One year from the date of completion of work. During the warranty liability period of 1 year, the agency shall rectify any defects, imperfections and shrinkages or faults noticed at work at their own cost.
07	19.3	Option Clause	Applicable. Purchaser reserves the right to increase the ordered quantity by 25% at any time, on same terms and condition till final delivery date of the contract, by giving reasonable notice even though the quantity ordered initially has been supplied in full before the last date of the delivery period.
08	21	Taxes and Duties	Should be mentioned separately and details thereof should be mentioned in the quotation.
09	22	Terms and Mode of payments	On monthly basis as per actual work executed on submission of detailed measurement sheet, challan, tax- invoice and subject to joint verification by concerned Engineer-In-Charge from India Govt. Mint, Kolkata and successful firm.

10	24	Liquidated Damages	<p>If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, India Govt. Mint, Kolkata shall, without prejudice to other rights and remedies available to India Govt. Mint, Kolkata under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the 0.5% of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% of the delayed goods' or services' contract price(s). During the above mentioned delayed period of supply and / or performance, the conditions incorporated under GCC Shall also apply.</p>
11	33.1	Resolution of Disputes	<p>If dispute or difference of any kind shall arise between India Govt. Mint, Kolkata and the supplier in connection with or relating the contract, the parties shall make every effort to resolve the same amicably by mutual consultations. If the parties fail to resolve the same amicably the mutual consultations. If the parties fail to resolve their dispute or difference by such mutual consultation within 21 days of its occurrence, then, unless otherwise provided in the SCC, either India Govt. Mint, Kolkata or the supplier may seek recourse to settlement of disputes through arbitration act 33.2. Disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located within Kolkata only.</p>

## Section VI: List of Requirements

Schedule No.	Brief Description of goods and services (Related Specifications etc. are in Section-VII)	HSN Code	Accounting Unit	Quantity	Amount of Earnest Money	Place of Delivery for GST purpose
1	Road and RCC drain		AU	1.000	Rs.5,00,000/- (Rupees Five Lakhs Only)	
2	Approach Path to Building		AU	1.000		
3	Construction of Underground Sump		AU	1.000		
4	Construction of culvert		AU	1.000		
5	Construction of Miscellaneous items		AU	1.000		
6	Electrical work for construction of road		AU	1.000		

- Bidders should submit offer as per price schedule (Section XI)
- All the copies of tenders shall be complete in all respects with all their attachments/enclosures duly numbered.
- The total cost inclusive of all elements as cited above on FOR India Govt. Mint, Kolkata (W.B) basis should be indicated clearly both in words and figures in the price bid.
- Bidder should furnish their bank details i.e. Account No, Branch name, IFSC code etc. to receive payment. A Cancelled Cheque should also be enclosed.

### 5. Earnest Money Deposit:

The required Earnest Money Deposit for the above tendered items is Rs.5,00,000/- (Rupees Five Lakhs Only). The proof of EMD (scanned copy) shall be submitted along with e-tender in Pre-qualification Bid. Earnest Money Deposit (EMD) in original shall be sent to The Chief General Manager, India Government Mint, Kolkata so as to reach within 5 days from the date of tender opening.

The EMD shall remain valid for a period of 45 days beyond Bid Validity i.e., 180+45 = 225 days after the date of opening of the tender. Any short validity, the tender shall be treated as unresponsive and rejected. The EMD should be in Indian Rupees only. Successful tenderer EMD will be returned without any interest, after the receipt of Performance Security from the tenderer. Unsuccessful Tenderers EMD will be returned to them without any interest, after expiry of the tender validity period.

The firm who are registered under Udyog Aadhar Memorandum (UAM) as Micro & Small Enterprises (MSEs) for Manufacturing Tendered Item may be exempted from submission of EMD subject to the submission of valid certificate(s) which should be valid throughout the tender validity period.

EMD must be furnished along with the tender in the form of Demand Draft/Fixed Deposit Receipt/ Bank Guarantee/ Bankers cheque denominated in Indian Rupees drawn on any Scheduled Commercial Bank, in favour of India Government Mint, Kolkata (A unit of SPMCIL) payable at Kolkata. Non submission of EMD may lead to rejection of the offer.



6. Risk Purchase Clause :

(a) If the supplier after submission of tender and due acceptance of the same, i.e. after notification of award of contract fails to abide by the terms and conditions of these tender documents, or fails to supply the deliverables as per delivery schedule given or at any time repudiates the contract, the purchaser shall have the right to:

(i) Invoke the Security-cum-Performance Guarantee if deposited by the supplier and procure stores from other agencies at the risk and consequence of the supplier. The cost difference between the alternative arrangement and supplier tendered value will be recovered from the supplier.

(b) Supplier has to abide by all the terms and conditions of tender.

(c) In case of procurement through alternative sources and if procurement price is lower, no benefit on this account will be passed on to the supplier.

7. The bidder should give undertaking/declaration that they have read and understood all the terms & conditions of tender documents and submitting unconditional acceptance to all terms & conditions.

8. The bidder failing to submit the requisite documents as per tender along with bid, their bid will be considered as unsolicited offer. Further, if the bidder does not accept the terms & condition of this tender document, their offer will also be treated as unsolicited offer.

9. The firm has to comply PF & ESI as per Government Norms

10. All safety and security of the workmen is the sole responsibility of the awarded firm itself and incase of any unwanted incidents IGM, Kolkata authorities would not be liable under any circumstances.

---

## Section VII: Technical Specifications

---

### Name of work:

CONSTRUCTION OF ROAD ALONGWITH SURFACE DRAIN AND ONE NO. UNDERGROUND SUMP WITH PUMP HOUSE AT I.G. MINT COLONY, KOLKATA.

### Scope of work:

1) Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with a lead upto 50 metres.

Qty : 7650 Sq m approx.

2) Supplying and filling at ground with silver sand including watering, ramming, consolidating and dressing complete mm thick sand.

Qty : 765 Cum approx..

3) Construction of dry lean cement concrete sub base over a prepared sub-grade with coarse and fine aggregate conforming to IS:383, the size of coarse aggregate not exceeding 25 mm, aggregate cement ratio not to exceed 15:1, aggregate gradation after blending to be as per specifications, cement content not to be less than 150 Kg/cum, optimum moisture content to be determined during trial length construction, concrete strength not to be less than 10 Mpa at 7 days, mixed in a batching plant, transported to site, for all leads & lifts, laid with a mechanical paver, compacting with 8-10 tonne vibratory roller, finishing and curing etc. complete as per direction of Engineer-in- charge.

Qty : 765 Cum approx.

4) Providing and laying design mix cement concrete of M-30 grade, in roads/ taxi tracks/ runways, using cement content as per design mix, using coarse sand and graded stone aggregate of 40 mm nominal size in appropriate proportions as per approved & specified design criteria, providing dowel bars with sleeve/ tie bars wherever required, laying at site, spreading and compacting mechanically by using needle and surface vibrators, levelling to required slope/ camber, finishing with required texture, including steel form work with sturdy M.S. channel sections, curing, making provision for contraction/ expansion, construction & longitudinal joints (10 mm wide x 50 mm deep) by groove cutting machine, providing and filling joints with approved joint filler and sealants, complete all as per direction of Engineer-in-charge. Cement concrete manufactured in automatic batching plant (RMC plant) i/c transportation to site in transit mixer Note:- Cement content considered in M-30 is @ 340 kg/cum.

Qty : 1020 Cum approx.

5) Brick edging in full brick width and half brick depth including excavation, refilling and disposal of surplus earth lead upto 50 metres: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5.

Qty : 3580 Cum approx.

6) Providing and filling in position rubberized bitumen hot sealing compound for sealing of expansion joints in roads / pavements all complete as per direction of the Engineer-in-Charge. Using grade 'A' sealing compound conforming to IS: 1834. (5 cm depth and 1 cm width ).

Qty : 3140 Meter approx.

7) Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge : All kinds of soil.

Qty : 2300 Cum approx.

8) Providing & Laying Brick soling with picked jhama bricks including preparation of bed as necessary with brick joints properly filled in and packed with powdered earth and including necessary cushion of similar material below the soling (and in between layers when more than one layer is used) completes as per direction. : Single brick flat soling (thickness 75 mm).

Qty : 7950 Sqm



SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

9) Providing and laying in position specified grade of reinforced cement concrete excluding the the cost of centering, shuttering, finishing and reinforcement, all work upto plinth level, 1:1.5:3 ( 1 cement: 1.5 coarse sand zone III: 3 graded stone aggregate 20 mm nominal size).

Qty : 610 Cum approx.

10) Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete upto plinth level, Thermo-Mechanically treated bars.

Qty : 44000 KG approx.

11) Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. : 40 mm thick with 20 mm nominal size stone aggregate.

Qty :1800 Sqm approx.

12) 12 mm cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement.

Qty : 5400 Sqm approx.

13) Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. All kinds of soil.

Qty : 30000 Sqm approx.

14) Surface dressing of the ground including removing vegetation and in - equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. All kinds of soil.

Qty: 650 Sqm approx.

15) Brick edging laid lengthwise with half brick depth including excavation, refilling and disposal of surplus earth lead upto 50 metres: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5

Qty: 950 Meter approx

16) Supplying and filling at ground with silver sand including watering, ramming, consolidating and dressing complete. mm thick sand.

Qty: 65 Cum approx

17) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources).

Qty: 65 Cum approx.

18) Cement concrete pavement with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete.

Qty: 60 Cum approx.

19) Centering and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases for columns.

Qty: 200 Sqm approx

20) Providing and laying in position bitumen hot sealing compound for expansion joints etc.: Using grade 'A' sealing compound. ( 5 cm depth and 1 cm width).

Qty: 1350 Meter approx.



21) Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills, slabs and the like, including the cost of required centering, shuttering but , excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).

Qty: 10 Cum approx.

22) Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete upto plinth level, Thermo-Mechanically treated bars.

Qty: 800 kg approx.

23) Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.

Qty : 190 Cum approx.

24) Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge : All kinds of soil.

Qty : 180 Cum approx.

25) Hiring Charges for 5 HP Diesel Generator Pump (8 Hrs per day per shift including 30 minutes lunch break at day) including suction & delivery pipes to pump out water as per direction of EIC including diesel, operator charges & transportation charges in all complete for laying concrete in or under water and/or liquid mud including cost of pumping or bailing out water and removing slush etc.

Qty : 20 days

26) Close timbering in case of shafts, wells, cesspits, manholes and the like including strutting, shoring and packing cavities (wherever required) etc. complete. : Depth exceeding 1.5 m but not exceeding 3 m.

Qty : 90 Sqm approx.

27) Providing & Laying Brick soling with picked jhama bricks including preparation of bed as necessary with brick joints properly filled in and packed with powdered earth and including necessary cushion of similar material below the soling (and in between layers when more than one layer is used) completes as per direction. : Single brick flat soling (thickness 75 mm).

Qty : 75 Sqm approx

28) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources).

Qty : 12 Cum approx.

29) Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement, all work upto plinth level, 1:1.5:3 ( 1 cement: 1.5 coarse sand zone III: 3 graded stone aggregate 20 mm nominal size).

Qty : 51 Cum approx.

30) Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete upto plinth level, Thermo-Mechanically treated bars.

Qty : 6750 KG approx.

31) Centering and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases for columns, slab.

Qty : 250 Sqm approx.



32) Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. : 40 mm thick with 20 mm nominal size stone aggregate.

Qty : 60 Sqm approx.

33) 15 mm cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement on the rough side of single or half brick wall.

Qty : 250 Sqm approx.

34) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand).

Qty : 7.5 Cum approx

35) 12 mm cement plaster of mix : 1:4 (1 cement: 4 coarse sand).

Qty : 35 Sqm approx.

36) 15 mm cement plaster on rough side of single or half brick wall of mix: 1:4 (1 cement: 4 coarse sand).

Qty : 35 Sqm approx.

37) Finishing walls with Premium Acrylic smooth exterior paint (white colour ) with silicone additives of required shade : New/Old work (Two or more coats applied @1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20kg/10 sqm.

Qty : 70 Sqm approx.

38) Providing & Fixing of MS foot rests in underground sump including welding with reinforcement structure, shuttering & Scaffolding, labour etc :with 20 x 20 mm square bar x total length 0.75 meter.

Qty : 20 each

39) Supplying, fitting and fixing in position reinforced cement polymer concrete manhole /gully pit cover with matching frame as per I.S-12592(M.D) : 35 MT load bearing capacity round manhole cover provided with two lifter hooks fitted with matching frame of size : Cover: 700 mm X 100 mm Frame: 910 mm X 185 mm opening: 560 mm Weight: 245 kg (approx).

Qty : 3 each

40) Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters: 80x1.25 mm M.S. laths with 1.25 mm thick top cover.

Qty : 5.25 Sqm approx.

41) Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :Two or more coats on new/old work over an under coat of suitable shade with ordinary paint at old work/one coat primer on new work of approved brand and manufacture.

Qty : 11 Sqm approx.

42) Constructing brick masonry manhole in cement mortar 1:4 ( 1 cement : 4 coarse sand ) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : Inside size 120x90 cm and 90 cm deep including C.I. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 116 kg (weight of cover 58 kg and weight of frame 58 kg) : 19.7.2.1 With common burnt clay F.P.S. (non modular) bricks of class designation 7.5.





Qty : 2 Each

43) Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge : All kinds of soil.

Qty : 105 Cum approx

44) Providing & Laying Brick soling with picked jhama bricks including preparation of bed as necessary with brick joints properly filled in and packed with powdered earth and including necessary cushion of similar material below the soling (and in between layers when more than one layer is used) completes as per direction : Single brick flat soling (thickness 75 mm).

Qty : 125 Sqm approx.

45) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources).

Qty : 12.5 Cum approx.

46) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand).

Qty : 40 Cum approx

47) Providing and laying in position specified grade of reinforced cement concrete excluding the the cost of centering, shuttering, finishing and reinforcement, all work upto plinth level, 1:1.5:3 (1 cement: 1.5 coarse sand zone III: 3 graded stone aggregate 20 mm nominal size).

Qty : 16 Cum approx

48) Steel reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete upto plinth level, Thermo-Mechanically treated bars.

Qty : 1950 KG approx

49) Centering and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases for columns, slab.

Qty : 90 Sqm approx..

50) Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. : 40 mm thick with 20 mm nominal size stone aggregate.

Qty : 60 Sqm approx

51) 15 mm cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement.

Qty : 160 Sqm approx.

52) Taking out C.I. cover with frame from R.C.C. top slab of manholes of various sizes including demolishing of R.C.C. work manually/ by mechanical means and stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead as per direction of Engineer in-charge.

Qty : 20 each approx.

53) Raising manhole cover and frame slab to required level including dismantling existing slab and making good the damage as required (Raising depth of manhole to be paid separately) : Rectangular manhole 120 x 90 cm with circular cover 560 mm dia of grade HD - 20.

Qty : 20 each approx

54) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand).

Qty : 40 Cum approx

55) 15 mm cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement.

Qty : 300 Sqm approx

56) Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including. consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m : All kinds of soil, Pipes, cables etc. exceeding 80 mm dia. butnot exceeding 300 mm dia.

Qty : 400 Metre approx

57) Providing and laying S&S centrifugally cast (spun) iron pipes (Class LA) conforming to IS - 1536 : 150 mm dia pipe.

Qty : 400 meter approx

58) Providing lead caulked joints to spun iron or C.I. pipes and specials, including testing of joints but excluding the cost of pig lead : 150 mm diameter pipe.

Qty : 80 number joint

59) Supplying pig lead at site of work.

Qty : 120 kg approx

60) Providing and laying flanged C.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 1538 : Up to 300 mm dia.

Qty : 400 kg approx.

61) Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. External work : 50 mm dia nominal bore.

Qty : 150 metre approx

62) Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. External work 80 mm dia nominal bore.

Qty : 100 metre approx

63) Painting G.I. pipes and fittings with two coats of anti-corrosive bitumastic paint of approved quality : 50 mm dia nominal bore.

Qty : 150 metre approx.

64) Painting G.I. pipes and fittings with two coats of anti-corrosive bitumastic paint of approved quality : 80 mm dia nominal bore.

Qty : 100 metre approx

65) Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 50 mm nominal bore.

Qty : 10 each approx

66) Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 80 mm nominal bore.

Qty : 6 each approx.

67) Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required : 50 mm nominal bore.



Qty : 10 each approx

68) Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required : 80 mm nominal bore.

Qty : 6 each approx

69) Renewing bottom rail and/or top runner of collapsible gate including making good all damages and applying priming coat of zinc chromate yellow primer of approved brand and manufacturer.

Qty : 70 Kg approx

70) Cleaning of choked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum jetting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water jetting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial desilting of manholes and dechocking of sewer lines. Dechocking and flushing of sewer line from one manhole to another by high pressure jetting system of 2200 PSI for sewer line from 150mm dia upto 300mm.

Qty : 250 metre approx

### **Scope of work ( Electrical )**

1) Supplying and fixing of 300 mm dia Exhaust Fan along with protective cover.

Qty: 2 each

2) Cutting holes of required size in brick masonry wall for fixing of exhaust fan including providing and fixing 300 mm dia PVC pipe conforming BIS-12818 and making good the same etc. complete as per direction of Engineer-in-charge.

QTY: 2 Each

3) Supplying 30 HP centrifugal pumps for de-watering sewage water of Kirloskar or similar make with all necessary fittings, GI pipes and accessories and installation in the drainage tank to facilitate drainage alongwith fixing of associated electrical panel including cables swithboard, starter, complete.

QTY: 2 Each

4) Supply, Installation, Testing and Commissioning of outdoor cubical type feeder pillar (from CPRI approved manufacturer having IP 54 protection) suitable for 415V, 3 Phase, 4 Wire 50 Hz AC supply system having 400 mm depth fabricated in compartmentalized (preferably) design from CRCA sheet steel of 2 mm thick for frame work and covers & 3 mm thick canopy, gland plates i/c cleaning & finishing complete with not less than 7 tank process for powder coating in approved shade, having 250 AMP capacity TPN Aluminium bus bars of high conductivity, connections, interconnections with adequate size copper wire/cables, connectors etc. along with necessary nuts & bolts, DMC/ SMC bus bar supports, with necessary M.S.angle, MS Flat, ISMC 75 MS channel for base, foundation made of cement concrete 1:3:6 (1 Cement :3 Coarse Sand : 6 Graded Stone aggregate 20 mm nominal size) foundation of size 200 x 200 X 500 mm below the original ground level and above ground level foundation to be made of brick masonry wall on 3 sides plastering and neat cement finishing etc. complete as required and should along with following components:

a) 250 Amp(min) capacity 4-strip Aluminium bus Bus-Bar of suitable length – 1 Set (to be fitted in bus bar chamber)

b) Toggle switch-3 Nos.

c) Indicating lamp with fuse base & HRC fuses, etc. - 3 Nos

d) 0-400 Amp Ammeter (Digital Type) with selector switch & set of CTs 250/5A , 15 VA, CI-I – 1set

e) [Panel should be having detachable gland plate (3mm thick),ventilation on two side of the panel and one no danger plate of 440 volts should fixed on the front side of the panel and all connection for more than 100A switch should be made with bar of adequate size.)The above Feeder pillar should include items which are: 100 A MCCB- 1No ,63 A MCCB- 3 Nos, Star -delta starter- 3 nos and 32 A DP MCB- 2 nos.

QTY: 1 no

5) Supply and Fixing of aluminum XLPE armoured cable of 70 sq mm, 3.5 core.

QTY: 800 mtr approx

6) Supply and Fixing of 1.5 sq mm single core flexible copper cable.



QTY: 100 mtr approx

7) Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. Make-Dowells. For 70 sq mm, 3.5 core cable.

QTY: 4 sets

8) Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.

QTY: 1700 mtr approx

9) Supply and Fixing of 16 sq mm, 3 core flexible copper cable.

QTY: 400 mtr approx

10) Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.

QTY: 5 points

11) Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc.(but without charcoal/coke and salt ) as required.

QTY: 2 nos

12) Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required..Make-M.K;Legrand & Hager. For: 12 Module (200mmX150mm).

QTY: 1 no

13) Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. Make-M.K;Legrand & Hager. 15/16 A switch.

Qty: 4 nos

14) Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. Make-M.K;Legrand & Hager. For 3 pin 5/6 A socket outlet.

QTY: 4 nos

15)Supplying and fixing following way, single pole and neutral, sheet steel, MCB distrbution board,240 v ,on surface recess, complete with rinned copper bus bar,neutral bus, earth bar, din bar, interconnections. powder painted including earthing etc as required along with 16A DP MCB- 1 no and 6A sp MCB-6 NOS,For 8 way, Double door.

QTY: 1 no

16) Supply and Fixing of 22 watt tube light.

Qty: 6 nos

### **Term and conditions:**

1) Agency has to designate one person as a In-charge, who will co-ordinate with India Govt. Mint, Kolkata representative on day to day basis.

2) Any damages/ breakdowns arising out of negligence, improper handling or improper maintenance will be viewed seriously. In such case the entire expenditure incurred for rectifying or replacing the damage items will be borne by the contractor. The amount determined by India Govt. Mint, KOLKATA shall be final and binding on contractor shall indemnify to this effect. This shall be decided by the Mint Management.



- 3) All materials/consumables required for the above mentioned jobs are to be supplied at the contractor's cost.
- 4) If any of the terms & conditions is not found fulfilled during the work contract, India Govt. Mint, Kolkata reserves the right to discontinue the contract without assigning any reasons thereof.
- 5) In case of any loss or theft, it shall be made good by the agency and failure on the part of the contractor/agency part to do so within a period of 30 days; the loss shall be made good by the encashment of bank guarantees, and if the amount of loss or damage exceed the amount of bank guarantee then remaining amount shall be recovered from amount standing due and payable to the contractor/agency.
- 6) The L1 firm would depend upon the total financial implication for the whole work.
- 7) During execution of work if any damage occurs to any water pipeline, power cable etc. the same is required to be made good by the vendor/bidder.

### **Special conditions:**

1. The contractor shall, at his cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting and preparing the required number of samples for such tests and bear all charges including testing charges.
2. Tests shall be conducted at Jadavpur University, IEST Shibpur, IITs/NITs and other approved laboratories by the Mint management for testing of materials.
3. The agency shall deploy one site engineer (Either Graduate in civil engineering with minimum 2 years experience or Diploma in civil engineering with minimum 5 years experience) who shall be available at site during the entire period of execution of the work.
4. The contractor shall follow the good engineering practice for safety, serviceability and structural soundness of the building/structure/road work etc. as covered in the scope of contract.
5. The Contractor shall ensure that the Materials and workmanship are in accordance with the requirements specified in this Agreement, Specifications and Standards and Sound Engineering practice.
6. The contractor shall submit completion plans for Internal and External Civil and Electrical Services within thirty days of the completion of the work.
7. The contractor shall make his own arrangements for water required for the work and nothing extra will be paid for the same. The water used by the contractor shall be fit for construction purposes to the satisfaction of the Engineer-in-Charge.
8. The contractor shall provide and employ on the site only such technical assistants as are skilled and experienced in their respective fields and such foremen and supervisory staff as are competent to give proper supervision to the work.
9. The contractor shall procure 43/53 grade Ordinary Portland Cement (OPC) conforming to IS:8112/Portland Pozzolana Cement (PPC) conforming to IS: 1489 (Part-I) as required in the work, from reputed manufacturers of cement, such as ACC, Ultratech, Ambuja, JK Cement etc..
10. The Contractor shall/procure IS marked TMT bars of various grades from: The Steel Manufacturers such as SAIL, TATA Steel Ltd., RINL, JSW steel Ltd., Confirming to IS: 1786- 2008.
11. DESIGN MIX CONCRETE FROM BATCH MIX PLANT OR RMC: Design mix is to be carried out as per IS 10262, IS 456 and other relevant IS codes/CPWD Specifications with latest amendment

Note: Design Mix Concrete from RMC Plant: All concrete shall be produced through fully computerised weigh-batching plant/RMC Plant of suitable capacity conforming to IS: 4925 with the arrangements for automatic dispensing of admixture and having facility of giving print out indicating weight / details of all ingredient of concrete in each lot/ batch and variations from the approved design mix if any. The design mix concrete should be procured from the RMC Plant confirming to CPWD Specifications as approved by Engineer-in-Charge.

12. The work shall be carried out as per CPWD specifications, relevant BIS codes for DSR items and PWD specifications and manufacturers specification for other non-schedule terms



---

## **Section VIII: Quality Control Requirements**

---

Quality of all civil & electrical works: Free from all technical defects, in compliance with our Technical Specification given SECTION VII.

i) Goods/service supplied not in conformity with tender specification will be treated as goods/service not supplied at all and supplier shall take supplied material not conforming to order specification back within 15 days. Goods/service shall be delivered by the supplier in accordance with the terms and conditions specified in the contract failing which expenses of keeping goods/service at purchaser's premises may be levied on supplier.

ii) Delivery date will be calculated from the date goods/service are received in acceptable quality in accordance with technical specification.

-----  
[to be inserted by the office inviting tender as applicable to specific tender]

## Section IX: Qualification/Eligibility Criteria

---

The bidder should meet the following qualification criteria :-

### A. EXPERIENCE & PAST PERFORMANCE :-

The bidder should have experience of having successfully completed similar works during last 7 years ending on 31.03.2022 :-

- Three similar completed works costing not less than the amount of Rs.1.84 Crore

Or

- Two similar completed works costing not less than the amount of Rs.2.31 Crore

Or

- One similar completed works costing not less than the amount of Rs.3.69 Crore

Note:

1. **Similar work for this Contract means** - Construction of Road-work including cement concrete pavement and related ancillary works.

2. SUPPORTING DOCUMENTS TO BE FURNISHED AS CLAIM AGAINST THE ABOVE ELIGIBILITY CRITERIA :

COPY OF PURCHASE ORDER DETAILS & WORK COMPLETION CERTIFICATE ISSUED BY THE PARTIES TO WHOM THE WORK HAS BEEN PROVIDED DULY SIGNED & STAMPED BY THE AGENCY ISSUING THE COMPLETION CERTIFICATE TO BE FURNISHED. THIS DOCUMENTS TO BE PROVIDED BY THE BIDDER DURING SUBMISSION OF TENDER. IF COPY OF PURCHASE ORDER & WORK COMPLETION CERTIFICATE ISSUED BY ANY NON-GOVT. ORGANISATION, CERTIFIED COPY OF TAX DEDUCTED AT SOURCE TO BE SUBMITTED IN ADDITION TO THE ABOVE MENTIONED DOCUMENTS.

3. TO ESTABLISH AUTHENTICITY OF CLAIM HAVING ACOMPLISHED THE WORK MENTIONED AGAINST THE CRITERIA AS ABOVE, INDIA GOVT. MINT, KOLKATA RESERVES THE RIGHT TO ASK ANY RELEVANT DOCUMENT FROM THE BIDDER.

### B. CAPABILITY- EQUIPMENT & MANUFACTURING FACILITIES :-

The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government / PSU / Autonomous bodies.

SUPPORTING DOCUMENTS TO BE FURNISHED AS CLAIM AGAINST THE ABOVE ELIGIBILITY CRITERIA.

### C. FINANCIAL STANDING :-

1. Average Annual Turnover of the Bidder during the last three financial years ending 31.03.2022 should be at least Rs.1.84 Crore as per the annual report (audited balance sheet and profit & loss account) of the relevant period, duly authenticated by a Chartered Accountant/ Cost Accountant in India.

2. Bidder firm should not have suffered any financial loss for more than one financial year during the last three financial years, ending on 31.03.2022, i.e. FY 19-20, FY 20-21 & FY 21-22.

3.

i) The net worth of the Bidder should not be negative on 31.03.2022 also

ii) should not have eroded by more than 30% in the last three years, ending on 31.03.2022.



**FOR NET WORTH EROSION CALCULATION OF LAST THREE YEARS ENDING ON 31.03.2022, AUDITED BALANCE SHEET OF LAST FOUR FINANCIAL YEARS i.e.: 2018-19, 2019-20, 2020-21 & 2021-22 MUST BE SUBMITTED**

Note:

- a. All copy of supply/ work order; respective completion certificate and contact details of clients: in support of experience, past performance and capacity/ capability should be authenticated by the by the person authorized to sign the tender on behalf of the bidder
- b. All financial standing data should be certified by certified accountants e.g., Chartered Accountants (CA) in India and Certified Public Accountant/ Chartered Accountants of other countries and should have valid UDIN (Unique Document Identification Number)

SUPPORTING DOCUMENTS TO BE FURNISHED AS CLAIM AGAINST THE ABOVE ELIGIBILITY CRITERIA.

.....  
[to be inserted by the office inviting tender as applicable to specific tender]

Bidder to furnish stipulated documents in support of fulfilment of qualifying criteria.  
Non-submission or incomplete submission of documents may lead to rejection of offer.





## Section X: Tender Form

Date:

To,  
India Government Mint, Kolkata  
A Unit of Security Printing & Minting  
Corporation of India Limited  
(Wholly Owned by Govt. of India)  
Kolkata

Ref: Your Tender document No.6000018060 / dated 12.07.2023

We, the undersigned have examined the above mentioned tender enquiry document, including amendment No....., dated..... (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver ..... (Description of goods and services) in conformity with your above referred document for the sum shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V - 'Special Conditions of Contract', for due performance of the contract.

We agree to keep our tender valid for acceptance for a period up to....., as required in the GIT clause 19, read with modification, if any in Section-III - 'Special Instructions to Tenderers' or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We confirm that in case of downloaded Tender Document, we have not changed / edited its contents. We realise that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We also solemnly declare as under:

### 1. MSMEs Status:

Having read and understood the Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 (as amended and revised till date), and solemnly declare the following:

(a) Company /Partnership Firm /Proprietary Concern / Society/Trust / NGO/Others (Please Specify):#####.....

(b) Micro/ Small / Medium Enterprise/ SSI/ Govt. Deptt. / PSU/ Others:##.

(c) Name of MSME Registering Body (NSIC/ DIC/ KVIC/KVIB etc.):##..

(d) MSME Registration no. (with copy of registration):#####.....



(e) Udyog Aadhaar Memorandum no#####

(f) Whether Proprietor/ Partner belongs to SC/ ST or Women category.  
(Please specify names and percentage of shares held by SC/ST Partners):#####..

## 2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP\_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:

(a) Self-Certification for category of supplier:

Class-I Local Supplier/

Class-II Local Supplier/

Non-Local Supplier.

(b) We also declare that

There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or

We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order .

## 3. Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017

Having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23rd July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:

We do not belong to any Country whose bidders are notified as ineligible under this order.

## 4. Debarment Status:

Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Deptts. of Government of India or by any State Govt:

Yes (with period of Ban)

No, We, solemnly declare that neither we nor any of our affiliates or subsidiaries including subcontractors or suppliers for any part of the contract - do not stand declared ineligible/ blacklisted/ banned/ debarred by any



Government Agency anywhere in the world, for participating in its tenders, under that country; its laws or official regulations.

**5. Penalties for false or misleading declarations:**

I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self-declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.

.....  
**(Signature with date)**

.....  
**(Name and designation)**  
Duly authorized to sign tender for and on behalf of

.....  
.....

---

## Section XI: Price Schedule

---

### A. Road and RCC drain

1. P/C of sub grade (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 7,650 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 7650 M2:

2. S/F of ground with silver sand (As per details mentioned in Section VII : Technical Specifications) ,Quantity:  
765 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 765 M3:

3. Construction of dry lean concrete (As per details mentioned in Section VII : Technical Specifications) ,Quantity:  
765 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 765 M3:

4. P/l of mix cement concrete (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 1,020  
M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 1020 M3:

5. Bricks of class designation 7.5 (As per details mentioned in Section VII : Technical Specifications) ,Quantity:  
3,580 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 3580 M3:

6. P/F of expansion joints in roads (As per details mentioned in Section VII : Technical Specifications) ,Quantity:  
3140 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 3140 M:



7. E/W of excavation M3 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 2,300

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 2300 M3:

8. P/L of brick soling M2 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 7,950

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 7950 M2:

9. P/L of reinforced cement concrete (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 610 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 610 M3:

10. Steel reinforcement R.C.C work (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 44,000 KG

Basic Price/1 KG:  
Other Charges (if any):  
GST/ 1 KG:  
Total price for 1 KG:  
Total price for 44000 KG:

11. Cement concrete floating 1:2:4 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 1,800 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 1800 M2:

12. 12 mm cemeNt plaster 1:3 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 5,400 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 5400 M2:



SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

13. S/D of ground including removing (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 30,000 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 30000 M2:

Grand total price for item no.1-13 of (A) :

#### **B. Approach Path to Building**

1. Surface Dressing of the ground (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 650 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 650 M2:

2. Brick edging (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 950 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 950 M:

3. S/F at ground with silver sand (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 65 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 65 M3:

4. P/L cement concrete (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 65 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 65 M3:

5. Cement concrete floating 1:2:4 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 60 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 60 M3:



6. C/S of columns (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 200 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 200 M2:

7. P/L in position Bitumen hot sealing (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 1,350 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 1350 M:

8. P/H & fixing above plinth level (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 10 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 10 M3:

9. Steel reinforcement R.C.C work (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 800 KG

Basic Price/1 KG:  
Other Charges (if any):  
GST/ 1 KG:  
Total price for 1 KG:  
Total price for 800 KG:

Grand total price for item no.1-9 of (B) :

### **C. Construction of Underground Sump**

1. Demolishing R.C.C work manually (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 190 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 190 M3:

2. E/W of excavation (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 180M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 180 M3:



3. Hiring Charges of Diesel Generator pump(As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 20 DAY

Basic Price/1 DAY:  
Other Charges (if any):  
GST/ 1 DAY:  
Total price for 1 DAY:  
Total price for 20 DAY :

4. Close timbering (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 90 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 90 M2:

5. P/L of brick soling (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 75 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 75 M2:

6. P/L of PCC (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 12 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 12 M3:

7. P/L of reinforced cement concrete (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 51 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 51 M3:

8. Steel reinforcement R.C.C work (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 6,750 KG

Basic Price/1 KG:  
Other Charges (if any):  
GST/ 1 KG:  
Total price for 1 KG:  
Total price for 6750 KG:





SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

9. C/S of columns (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 250 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 250 M2:

10. Cement concrete floating 1:2:4 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 60 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 60 M2:

11. 15 mm cement plaster 1:3 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 250 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 250 M2:

12. Brick class designation 7.5 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 7.5 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 7.5 M3:

13. 12 mm cement plaster of mix (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 35 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 35 M2:

14. 15 mm cement plaster 1:4 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 35 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 35 M2:



15. Finishing wall with acrylic paint (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 70 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 70 M2:

16. P/F of MS underground sump (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 20 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 20 EA:

17. S/F of reinforced cement concrete (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 3 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 3 EA:

18. S/F of rolling shutters (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 5.25 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 5.25 M2:

19. Panting with synthetic enamel paint (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 11 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 11 M2:

20. Constructing brick masonry manhole (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 2 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 2 EA:



SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

Grand total price for item no.1-20 of (C) :

**D. Construction of culvert**

1. Earth work Hydraulic excavator (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 105 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 105 M3:

2. P/L of brick soling(As per details mentioned in Section VII : Technical Specifications) ,Quantity: 125 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 125 M2:

3. P/L of position cement concrete (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 12.5 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 12.5 M3:

4. Brick work (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 40 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 40 M3:

5. P/L of reinforced cement concrete (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 16M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 16 M3:

6. Steel reinforcement for R.C.C work (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 1,950 KG

Basic Price/1 KG:  
Other Charges (if any):  
GST/ 1 KG:  
Total price for 1 KG:  
Total price for 1950 KG:



7. C/S of columns (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 90 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 90 M2:

8. Cement concrete floating 1:2:4(As per details mentioned in Section VII : Technical Specifications) ,Quantity:  
60 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 60 M2:

9. 15 mm cement plaster 1:3 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 160 M2

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 160 M2:

Grand total price for item no.1-9 of (D) :

#### **E. Construction of Miscellaneous items**

1. Taking out C.I cover with frame(As per details mentioned in Section VII : Technical Specifications) ,Quantity:  
20 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 20 EA:

2. Raising manhole cover and frame slab(As per details mentioned in Section VII : Technical Specifications) ,Quantity:  
20 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 20 EA:

3. Brick work (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 40 M3

Basic Price/1 M3:  
Other Charges (if any):  
GST/ 1 M3:  
Total price for 1 M3:  
Total price for 40 M3:



4. 15 mm cement plaster 1:3 M2 (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 300

Basic Price/1 M2:  
Other Charges (if any):  
GST/ 1 M2:  
Total price for 1 M2:  
Total price for 300 M2:

5. Excavating trenches (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 400 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 400 M:

6. P/L of iron pipes (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 400 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 400 M:

7. Providing lead joints (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 80 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 80 EA:

8. Supplying pig lead (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 120 KG

Basic Price/1 KG:  
Other Charges (if any):  
GST/ 1 KG:  
Total price for 1 KG:  
Total price for 120 KG:

9. P/L of flanged joint (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 400 KG

Basic Price/1 KG:  
Other Charges (if any):  
GST/ 1 KG:  
Total price for 1 KG:  
Total price for 400 KG:

10. P/F of G.I. 50mm dia nominal bore (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 150 M



SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 150 M:

11. P/F of G.I. 80mm dia nominal bore (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 100 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 100 M:

12. Painting G.I. pipes 50mm dia nominal bor (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 150 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 150 M:

13. Painting G.I. pipes 80mm dia nominal bor (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 100 M

Basic Price/1 M:  
Other Charges (if any):  
GST/ 1 M:  
Total price for 1 M:  
Total price for 100 M:

14. P/L of metal gate 50mm (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 10 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 10 EA:

15. P/L of metal gate 80mm (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 6 EA

Basic Price/1 EA:  
Other Charges (if any):  
GST/ 1 EA:  
Total price for 1 EA:  
Total price for 6 EA:

16. P/F of G.I. union 50mm dia nominal bore (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 10 EA

Basic Price/1 EA:  
Other Charges (if any):



SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

GST/ 1 EA:

Total price for 1 EA:

Total price for 10 EA:

17. P/F of G.I. union 80mm dia nominal bore(As per details mentioned in Section VII : Technical Specifications)  
,Quantity:6 EA

Basic Price/1 EA:

Other Charges (if any):

GST/ 1 EA:

Total price for 1 EA:

Total price for 6 EA:

18. Renewing buttom rail of collapsible gate (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 70 KG

Basic Price/1 KG:

Other Charges (if any):

GST/ 1 KG:

Total price for 1 KG:

Total price for 70 KG:

19. Cleaning of chocked sewer line (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 250 M

Basic Price/1 M:

Other Charges (if any):

GST/ 1 M:

Total price for 1 M:

Total price for 250 M:

Grand total price for item no.1-19 of (E) :

#### **F. Electrical work for construction of road**

1. S/F of protective cover (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 2 EA

Basic Price/1 EA:

Other Charges (if any):

GST/ 1 EA:

Total price for 1 EA:

Total price for 2 EA:

2. Cutting holes of brick masonry wall (As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 2 EA

Basic Price/1 EA:

Other Charges (if any):

GST/ 1 EA:

Total price for 1 EA:

Total price for 2 EA:

3. Supplying 30 HP centrifugal pumps(As per details mentioned in Section VII : Technical Specifications) ,Quantity: 2 EA

Basic Price/1 EA:

Other Charges (if any):

GST/ 1 EA:



SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

Total price for 1 EA:

Total price for 2 EA:

4. S/F of feeder pillar (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 1 no.

Basic Price/1 no.:

Other Charges (if any):

GST/ 1 no.:

Total price for 1 no.:

5. S/F of PVC power cable (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 800 M

Basic Price/1 M:

Other Charges (if any):

GST/ 1 M:

Total price for 1 M:

Total price for 800 M:

6. S/F of 1.5 sq mm copper cable (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 100 M

Basic Price/1 M:

Other Charges (if any):

GST/ 1 M:

Total price for 1 M:

Total price for 100 M:

7. S/M of aluminium conductor cable of 1.1kv (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 4 SET

Basic Price/1 SET:

Other Charges (if any):

GST/ 1 SET:

Total price for 1 SET:

Total price for 4 SET:

8. P/F of 6 SWG dia G.L cable (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 1,700 M

Basic Price/1 M:

Other Charges (if any):

GST/ 1 M:

Total price for 1 M:

Total price for 1700 M:

9. S/F of 16 sq mm copper cable (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 400 M

Basic Price/1 M:

Other Charges (if any):

GST/ 1 M:

Total price for 1 M:

Total price for 400 M:





SECURITY PRINTING AND MINTING  
CORPORATION OF INDIA LIMITED

10. 1.5 sq mm FRLS PVC copper conductor(As per details mentioned in Section VII : Technical Specifications)  
,Quantity: 5 P

Basic Price/1 P:

Other Charges (if any):

GST/ 1 P:

Total price for 1 P:

Total price for 5 P:

11. Earth pipe 4.5 m long 40 m dia (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 2  
nos.

Basic Price/1 no.:

Other Charges (if any):

GST/ 1 no.:

Total price for 1 no.:

Total price for 2 nos.:

12. S/F of modules GI box(As per details mentioned in Section VII : Technical Specifications) ,Quantity: 1  
no.

Basic Price/1 no.:

Other Charges (if any):

GST/ 1 no.:

Total price for 1 no.:

13. S/F of 15/16 A switch (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 4 nos.

Basic Price/1 no.:

Other Charges (if any):

GST/ 1 no.:

Total price for 1 no.:

Total price for 4 nos.:

14. S/F of 3 pin 5/6 A socket outlet (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 4  
nos.

Basic Price/1 no.:

Other Charges (if any):

GST/ 1 no.:

Total price for 1 no.:

Total price for 4 nos.:

15. S/F of 8 way double door (As per details mentioned in Section VII : Technical Specifications) ,Quantity: 1  
no.

Basic Price/1 no.:

Other Charges (if any):

GST/ 1 no.:

Total price for 1 no.:

16. S/F of 22 watt tube light(As per details mentioned in Section VII : Technical Specifications) ,Quantity: 6  
nos.

Basic Price/1 no.:

Other Charges (if any):

GST/ 1 no.:



Total price for 1 no.:

Total price for 6 nos.:

Grand total price for item no.1-16 of (F) :

**Grand total price of (A)+(B)+(C)+(D)+(E)+(F) :**

**Grand total price of (A)+(B)+(C)+(D)+(E)+(F) in words :**

ABBREVIATION "AU" Activity Unit , "EA" EACH,"M" Meter, "M2" Square Meter, "M3" Cubic Meter, "nos." NUMBERS, "KG" Kilogram, "DAY" DAY , "SET" SET, "P" POINTS & "IGM" India Govt. Mint

Note:

1. Bidder to furnish stipulated documents along with tender in support of fulfillment of tender criteria. Further correspondence in this regard will not be entertained for any reason. Non-submission or incomplete submission of documents may lead to rejection of offer.

2. The L1 firm would depend upon the total financial implication for the whole work.

3. The firms are requested to submit the item wise price for each items as mentioned in Section VII and Section XI



---

## Section XII: Vendor Details

---

The tenderer should furnish specific details mentioned below. In case a question / issue does not apply to a tenderer, the same should be answered with the remark #not applicable#.

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

### 1. Vendor/ Contractor particulars:

- (a) Name of the Company:#####.....
- (b) Corporate Identity No. (CIN): #####.....
- (c) Registration if any with SPMCIL: #####.....
- (d) Complete Postal Address: #####..
- (e) Pin code/ ZIP code: #####.
- (f) Telephone nos. (with country/area codes): #####.....
- (g) Fax No.: (with country/area codes): #####....
- (h) Cell phone Nos.: (with country/area codes): #####.....
- (i) Contact persons /Designation: #####.....
- (j) Email IDs: #####...

### 2. Taxation Details:

- (a) PAN number: #####.
- (b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.): #..
- (c) GSTIN number: #####..
- (d) Registered Address as per GST registration and Place of Delivery for GST Purpose: #..
- (e) Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts): #####

We solemnly declare that our GST rating on the GST portal / Govt. official website is NOT negative / blacklisted during the last three financial years.

.....

(Signature with date)

.....

.....

(Name, address, and stamp of the tendering firm)



Section XIII: Bank Guarantee FORM for EMD

BANK GUARANTEE FOR BID GUARANTEE (ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)

Ref .....

Date .....

Bank Guarantee No #####

To, (Insert Name & Address of the Purchaser)

Dear Sir,

Whereas #..... (Hereinafter called the #Tenderer#) has submitted its bid numbered ####..... dated #####.. for the supply of ##.....#(Hereinafter called the #tender#) against#####s (insert name of Purchaser) (hereinafter called as the #Purchaser#) tender enquiry No. #####..#. opened on #####.. Know all persons by these presents that we #####..#. of#####.. (hereinafter called the #Bank#) having our registered office at##### are bound unto the Purchaser, in the sum of #####.. for which payment will and truly be made forthwith, on demand by the Purchaser, without demure to the said Purchaser, the Bank binds itself, its successors and assigns by these presents. Sealed with the Common Seal of the said Bank this#.....# day of #. ##20#

The conditions of this obligation are #

- (1) If the Tenderer withdraws or amends, impairs, or derogates from the tender, in any respect within the period of validity of this tender.
(2) If the Tenderer or anyone employed by it or acting on its behalf (whether with or without the knowledge of the Tenderer) breaches any of the provisions of the pre-bid/ Pre-contract Integrity Clause.
(3) If the Tenderer having been notified of the acceptance of his tender by Purchaser during the period of its validity:-
a) Fails or refuses to furnish the performance security for the due performance of the contract.
b) Fails or refuses to accept/ execute the contract.

We undertake to pay Purchaser up to the above amount, upon receipt of its first written demand, without Purchaser having to substantiate its demand, provided that in its demand Purchaser will note that the amount claimed by it, is due to it owing to the occurrence of one or more or all the above conditions, specifying the occurred condition(s). We agree that the decision of the Purchaser, whether above conditions have occurred, shall be final and binding on us. This guarantee will remain in force for a period of #####.. (insert the period of validity plus 45 days, in words and figures) days after the date of #####.(insert date of tender opening) and any demand in respect thereof should reach the Bank not later than the above date.

(Signature of the authorized officer of the Bank)

Name and designation of the officer

Seal, name & address of the Bank and address of the Branch



## Section XV: Bank Guarantee Form for Performance Security

### PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND (ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)

Ref .....

Date .....

Bank Guarantee No #####.

To,  
(Insert Name & Address of the Purchaser)

Dear Sir,

1. Against contract vide Notification for Award of the Tender No ..... dated ..... covering supply of ..... (herein after called the #contract#) entered into between the #####(insert name of Purchaser) (herein after called as the Purchaser) and M/s. ...., .....(here in after called the #Contractor#), this is to certify that, at the request of the Contractor, we ..... (name of the bank), are holding in trust in favour of the Purchaser, the amount of ..... (write the sum here in words), to indemnify and keep indemnified the Purchaser, against any loss or damage that may be caused to, or suffered by the Purchaser, by reason of any breach by the Contractor of any of the terms and conditions of the said contract and/or in the performance thereof. We agree that the decision of the Purchaser, whether any breach of any of the terms and conditions of the said contract and/or in the performance thereof has been committed by the Contractor; and the amount of loss or damage that has been caused or suffered by the Purchaser, shall be final and binding on us, and the amount of the said loss or damage shall be paid by us, forthwith on demand and without demur to the Purchaser.

2. We ..... (name of the bank), further agree that, the guarantee herein contained, shall remain in full force and effect, for sixty days after the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the BUYER, including warranty period whichever is later, i.e. till ....., (hereinafter called the #said date#) and that if any claim accrues or arises against us ..... (name of the bank), by virtue of this guarantee before the said date, the same shall be enforceable against us ..... (name of the bank), notwithstanding the fact that the same is enforced within six months after the said date, provided that notice of any such claim has been given to us ....., (name of the bank), by the Purchaser, before the said date. Payment under this bond of guarantee shall be made promptly, upon our receipt of notice to that effect, from the Purchaser.

3. It is fully understood that this guarantee is effective from the date of the said contract and that we ..... (name of the bank), undertake not to revoke this guarantee during its currency, without the consent in writing of the Purchaser.

4. We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute or disputes raised by the Contractor, in any suit or proceeding pending before any Court or Tribunal, relating thereto, our liability under this present, being absolute and unequivocal. The payments so made by us under this bond, shall be a valid discharge of our liability for payment thereunder, and the Contractor shall have no claim against us, for making such payments.

5. We..... (name of the bank), further agree that the Purchaser shall have the fullest liberty, without



affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the said contract, or to extend time of performance by the Contractor, from time to time, or to postpone for any time or form, time to time, any of the powers exercisable by the Purchaser, against the said Contractor and to for bear or enforce any of the terms and conditions relating to the said contracts and we..... (name of the bank), shall not be released from our liability under this guarantee, by reason of any such variation or extension being granted to the said Contractor, or for any forbearance and/or omission on the part of the Purchaser, or any indulgence by the Purchaser towards the said Contractor, or by any other matter or thing whatsoever, which under the law relating to sureties, would, but for this provision, have the effect of so releasing us from our liability under this guarantee.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.

.....  
(Signature with date of the authorized officer of the Bank)

.....

.....  
Name and designation of the officer

.....  
Seal, name & address of the Bank and address of the Branch

.....  
Name and designation of the officer

.....

.....  
Seal name& address of the Bank and address of the Branch



---

## Section XVI: Contract Form

---

Contract No.....dated.....

This is in continuation to this office' Notification of Award No..... dated .....

1. Name & address of the Supplier: .....

2. SPMCIL's Tender document No..... dated.....and subsequent Amendment No..... dated..... (If any), issued by SPMCIL

3. Supplier's Tender No..... dated.....and subsequent communication(s) No..... dated..... (If any), exchanged between the supplier and SPMCIL in connection with this tender.

4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as part of this contract:

- (i) General Conditions of Contract;
- (ii) Special Conditions of Contract;
- (iii) List of Requirements;
- (iv) Technical Specifications;
- (v) Quality Control Requirements;
- (vi) Tender Form furnished by the supplier;
- (vii) Price Schedule(s) furnished by the supplier in its tender;
- (viii) Manufacturers' Authorization Form (if applicable for this tender);
- (ix) SPMCIL's Notification of Award

Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under clause 0 of Section - V - 'General Conditions of Contract' of SPMCIL's Tender document shall also apply to this contract.

5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready reference:

- (i) Brief particulars of the goods and services which shall be supplied/provided by the supplier are as under:
- (ii) Delivery schedule
- (iii) Details of Performance Security
- (iv) Quality Control
  - (a) Mode(s), stage(s) and place(s) of conducting inspections and tests.
  - (b) Designation and address of SPMCIL's inspecting officer
- (v) Destination and dispatch instructions
- (vi) Consignee, including port consignee, if any
- (vii) Warranty clause
- (viii) Payment terms
- (ix) Paying authority

.....  
(Signature, name and address of SPMCIL's authorized official)

For and on behalf of.....

Received and accepted this contract.....

(Signature, name and address of the supplier's executive duly authorized to sign on behalf of the supplier)

For and on behalf of

.....



(Name and address of the supplier)

.....

(Seal of the supplier)

Date:

Place:



## Section XVIII: Proforma of Bills for Payments

(Refer to Clause 22.6 of GCC)

Name and Address of the Firm.....  
 Bill No.....Dated.....  
 Purchase order.....No.....Dated.....  
 Name and address of the consignee.....

S.No	Authority for Purchase	Description of Stores	No.or qty.	Rate	Rs.	Price per Rs. P	Amount
TOTAL							

1. GST/ CGST/ SGST/ UTGST/ IGST Amount
2. Freight (if applicable)
3. Excise Duty (if applicable)
4. Packing and Forwarding charges (if applicable)
5. Others (Please specify)
6. PVC Amount (with calculation sheet enclosed)
7. (-) deduction/Discount
8. Net amount payable (in words Rs.)

Dispatch detail RR No. other proof of despatch.....

Dated.....(enclosed)

Inspection Certificate No.....Dated. ....(enclosed)

Place and Date



Received Rs.....

Rupees).....

We solemnly certify that:

- a. Goods and Services Tax (GST) charged on this Bill is not more than what is payable under the provision of the relevant Act or the Rules made there under.
- b. Goods on which GST has been charged have not been exempted under the GST Act or the rules made there under and the charges on account of GST on these goods are correct under the provisions of that Act or the Rules made there under.
- c. We are registered with above indicated GSTIN as dealer in the State where in their Billing address is located for the purpose of GST.
- d. This bill form / invoice is not a replacement for the GST invoice. The proper GST invoice as per requirements of GST rules has been sent to the Purchaser as and when deliveries are made to the consignee.
- e. that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.

Revenue stamp

Signature and of Stamp Supplier



## Section XIX: NEFT Mandate

(Refer clause 22.2 of GCC)

From : M/s .....

Date:.....

To:  
(Insert Name and Address of Purchaser's Paying Authority as per NIT Clause 1)

Sub: NEFT payments

We refer to RBI's NEFT scheme. Our mandate SPMCIL for making payments to us through the above scheme to our under noted account.

### NATIONAL ELECTRONIC FUNDS TRANSFER MANDATE FORM

1	Name of City	
2	Bank Code No.	
3	Branch Code No.	
4	Bank's Name	
5	Branch Address	
6	Branch Telephone / Fax No.	
7	Supplier's Account No.	
8	Type of Account	
9	IFSC code for NEFT	
10	IFSC code for RTGS	
11	Supplier's name as per Account	
12	MICR Code No.	

In Lieu of Bank Certificate to be obtained as under, please attach a bank cancelled cheque or photocopy of a cheque or front page of your bank passbook issued by your bank for verification of the above particulars.

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.

Date

Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and  
Signature of authorized  
official of the bank

**ANNEXURE - I**

**Tender No. : 54/PT-153(22-23)/6000018060/45 dated 12.07.2023  
(To be submitted on the letter head)**

**DECLARATION**

We do hereby declare that,

1. We have not been blacklisted/ debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
2. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
3. "We are accepting all the terms and conditions of the tender document without any deviation"

Signature .....

Name .....

Designation .....

Date .....

Stamp of the Organization .....

**THREE BID, THREE STAGE (THREE PACKETS) TENDER BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION :****A. Part I : (Pre-Qualification Bid cover)**

Sl. No.	Tender Submission Check Points	Check before submission Tick (v)
1	Submit the documents as per Qualification / Eligibility criteria - Section IX	
2	Section X : Tender Form and Section XII : Vendor details duly filled, sealed & signed	
3	Documentary evidence towards PAN & GST Registration Certificate	
4	Proof of EMD(scanned copy) as applicable or any exemption certificate	
5	The firms participating as MSE/NSIC/DIC/Start-up India Campaign, needs to enclosed certificates containing validity	
6	Category of MSME Firms	
	SC	
	ST	
	GEN	
7	Owner of Company	
	Male	
	Female	

**B. Part II : (Techno-Commercial Bid cover)**

Sl. No.	Tender Submission Check Points	Check before submission Tick (v)
1	Technical Specification - Section VII as per tender	
2	Entire Tender Document Duly Seal & Signed on every page(with out mentioning price)	
3	Tender Validity 180 days as per the tender	
4	Download 45 pages from the link mentioned in Section II : GIT and submit with duly sealed and signed	
5	Download 29 pages from the link mentioned in Section IV : GCC and submit with duly sealed and signed	
6	Delivery Period : Acceptance of delivery period as per Section V : SCC of Tender Document.	
7	Offer is valid for acceptance up to minimum <b>180 days</b> duly filled in Section XII : Questionnaire	
8	Sealed & Signed Declaration (Annexure - I)	
9	Acceptance of all section of the tender document (GIT, SIT, GCC & SCC), quality control requirement etc.	

**C. Part III : (Price Bid Cover)**

Sl. No.	Description	Submitted/ Not Submitted
1	Price Bid as per Section XI (Price including all taxes & other charges)	

- **Price to be mentioned only in price bid not in Techno commercial bid or any other place. If it is mentioned any other part other than price bid, the offer will be rejected.**