



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/5868852
Dated/दिनांक : 30-01-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-02-2025 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-02-2025 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
क्रेता ईमेल/Buyer Email	buyer1.spmcils.wb@gembuyer.in
Total Quantity/कुल मात्रा	15669
Item Category/मद केटेगरी	SITC of Fire Alarm Control Panel , SITC of Digital Amplifiers , SITC of Active Repeater Panel , SITC of Colour Graphic User Interface Station , SITC of Multi Sensor detector with base , SITC of Hangers , SITC of Heat detector with base , SITC of Indoor Application Manual Call , SITC of Addressable Notification Appliance , SITC of Monitor Module , SITC of Control Relay Modules , SITC of Short Circuit Isolator , SITC of Wall mount speakers , SITC of Fire fighter telephone station , SITC of Addressable Fire telephone jack , SITC of Response indicator , SITC of LPG detector , SITC of 2core 1.5sqmm red fire cable , SITC of 2core 1.5sqmm black fire cable , SITC of 0.5sqmm 1pair telephone cable , SITC of Telephone MDF Krone module , SITC of 4x4 PVC Box , Workstation-i7,11th gen,Windows11Pro , Commissioning charges of the entire system
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	SITC of Fire Alarm System
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	PLC based fire alarm system, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V2) as per IS 16240, Burglar Alarm, Solar IV Curve Tracer, Fixed Aerosol Fire - Extinguishing System, Automatic Fire Ball for Fire - Extinguishing, Light Portable Fire Monitor (V2), Standalone Ceiling Mounted Fire Suppression System, Portable Fire Extinguishers (V2) as per IS 15683:2018, Fixed Clean Agent Gas based Fire Suppression System

Bid Details/बिड विवरण	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • PLC based fire alarm system • Alarm Annunciator unit • Central Monitoring Station
BOQ Title/बीओक्यू शीर्षक	SITC OF MICROPROCESSOR BASED FIRE ALARM SYSTEM IN INDIA GOVERNMENT MINT KOLKATA
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	SITC of Fire Alarm Control Panel
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	7 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Required/वित्तीय दस्तावेज़ की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	111000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	19

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

S P M Corporation of India Limited
Payable at Kolkata
(S P M Corporation Of India Limited)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company

and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

SITC Of Fire Alarm Control Panel

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	1	150

SITC Of Digital Amplifiers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	2	150

SITC Of Active Repeater Panel

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	1	150

SITC Of Colour Graphic User Interface Station

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	1	150

SITC Of Multi Sensor Detector With Base

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	463	150

SITC Of Hangers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	340	150

SITC Of Heat Detector With Base

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	6	150

SITC Of Indoor Application Manual Call

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	12	150

SITC Of Addressable Notification Appliance

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	18	150

SITC Of Monitor Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	15	150

SITC Of Control Relay Modules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	15	150

SITC Of Short Circuit Isolator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	22	150

SITC Of Wall Mount Speakers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	34	150

SITC Of Fire Fighter Telephone Station

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	10	150

SITC Of Addressable Fire Telephone Jack

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	22	150

SITC Of Response Indicator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	155	150

SITC Of LPG Detector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	6	150

SITC Of 2core 1.5sqmm Red Fire Cable

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	9500	150

SITC Of 2core 1.5sqmm Black Fire Cable

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	2500	150

SITC Of 0.5sqmm 1pair Telephone Cable

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	2200	150

SITC Of Telephone MDF Krone Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	12	150

SITC Of 4x4 PVC Box

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	332	150

Workstation-i7,11th Gen,Windows11Pro

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	1	150

Commissioning Charges Of The Entire System

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pravin Kumar	700053,India Govt Mint, Alipore Kolkata , West Bengal	1	150

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

S P M Corporation of India Limited
payable at
Kolkata

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

S P M Corporation of India Limited

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

5. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

S P M Corporation of India Limited
payable at
Kolkata

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

S P M Corporation of India Limited
Account No.
40721855110
IFSC Code
SBIN0000205
Bank Name
State Bank of India
Branch address
New Alipore, Kolkata

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

7. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

S P M Corporation of India Limited
payable at
Kolkata

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

8. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

S P M Corporation of India Limited
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

9. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

S P M Corporation of India Limited
Account No.
40721855110
IFSC Code
SBIN0000205
Bank Name
State Bank of India

Branch address
New Alipore, Kolkata

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Terms and Conditions:

Guidelines of SPMCIL Procurement Manual Version 3.0 will be applicable to this bid at any stage to avoid any conflict at later stage. Kindly refer GIT and GCC of SPMCIL Procurement Manual Version 3.0 for additional terms and conditions as per the links given below:

General Instruction to Tenderer (GIT): <https://igmkolkata.spmcil.com/wp-content/uploads/2024/05/GIT.pdf>

General Conditions of Contract (GCC): <https://igmkolkata.spmcil.com/wp-content/uploads/2024/05/GCC.pdf>

2. Delivery Period:

a) Supply, Installation, Testing and commissioning i.e. SITC of Microprocessor based Fire Alarm System in India Government Mint, Kolkata along with Final Acceptance Test of 6days must be completed within Five (5) months from the date of issue of Contract

b) The supplier is responsible for delivering the Goods and duly unloading the same at General Store of India Government Mint, Kolkata after taking necessary security clearance from CISF at the main gate of India Government Mint, Kolkata by showing the driving licence, vehicle registration etc. and necessary documents like invoice, delivery challan, copy of Purchase Order, e-way bill, bank details in company letter head duly sealed & signed etc. are to be handed over to Store- in- charge.

3. Terms and Mode of payments:

100% payment will be made after issuance of Final Acceptance Certificate (FAC) by India Government Mint , Kolkata.

4. Warranty:

(a) The Goods along with all accessories supplied & installed under this contract shall be warranted against any type of defects arising due to design, faulty material, workmanship, poor packing and damage during transportation and unloading/shifting/lifting, storage and for trouble free operation.

(b) The Warranty shall remain valid for a period of **One(1) Year from the date of final acceptance certificate (FAC)** issued by India Government Mint, Kolkata and shall include repairing and replacing of defective parts, workmanship and services, required operational and maintenance support services at free of cost, which are essentially required to put the entire system in normal operation.

(c) The firm will have to give written undertakings that the goods supplied under this contract are new, of the recent models and incorporate all recent improvements in design and materials unless provided otherwise in the contract.

(d) In case of any claim arising out of this warranty, India Govt. Mint shall promptly notify the same in writing to the supplier. Upon receipt of such notice, the supplier shall within a period of maximum 10 days to repair or replace the defective goods or services or part thereof at the ultimate destination without any cost to India Government Mint, Kolkata.

(e) If the supplier, having been notified, fails to rectify/ replace the defect(s) within the period as mentioned in para (d) above, India Govt. Mint, Kolkata may proceed to take such remedial action(s) as deemed fit by India Govt. Mint, Kolkata at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which India Govt. Mint, Kolkata may have against the supplier.

5. Transportation of Domestic Goods:

To be borne by the supplier duly unloaded at the General Store of India Govt. Mint, Kolkata.

6. Packing:

Goods should be suitably packed. The packing should be weather proof and should be made water proof to prevent damage during transit. The supplier will also be responsible for unloading and stacking at India Government Mint, Kolkata Store as per instruction of competent authority.

7. Insurance:

The supplier shall make arrangements for insuring the goods against loss or damage, incidental to manufacture or acquisition, transportation, storage and delivery. The Supplier shall be responsible till the entire goods contracted for arrive in good condition at destination. The transit risk in this respect shall be covered by the supplier by getting the goods duly insured. The insurance cover shall be obtained by the supplier in its own name not in the name of India Government Mint, Kolkata or its consignee. For details please refer to clause 12 of General Conditions of Contract (GCC).

8. Quantum of LD:

If the supplier fails to deliver any or all of the Goods or fails to perform the services within the time frame(s) incorporated in the contract (for both with respect to delivery of Goods as well as Installation, commissioning, training and Final Acceptance Test (FAT) as mentioned in delivery schedule), India Govt. Mint, Kolkata shall, without prejudice to other rights and remedies available to India Govt. Mint, Kolkata under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the 0.5% of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% of the delayed goods' or services' contract price(s).

9. The total cost inclusive of all as cited above on FOR India Govt. Mint, Kolkata (W.B) basis should be indicated clearly both in words and figures in the price bid.

10. Documentary evidence to be submitted towards PAN & GST Registration Certificate.

11. Upload Manufacturer Authorization:

The participating bidder must submit Manufacturers Authorisation Form (MAF)/Certificate along with the bid in the format provided in **Annexure-II** under Technical Specification document.

12. Participating Bidder must submit sealed and signed copy of entire GeM bid document including the Technical Specification. Also the participating bidder must submit sealed & signed Annexure III in their letter head & documents as per Annexure-IV attached under Technical Specification.

13. All the supporting documents submitted along with this bid should be signed and sealed by the authorized signatory of the firm mandatorily. The bid document shall not contain any erasure or overwriting, except as necessary to correct any error made by the tenderer and, if there is any such correction; the same shall be initialled by the person(s) signing the tender.

14. The supplier has to provide GeM invoice during submission of bill for payment.

15. Price Schedule:

While quoting the price through GeM portal, the detailed price breakup along with GST percentage must be mentioned and attached as pdf in the document attachment option of price bid mandatorily. Do not upload financial documents related to financial standings like audited balance sheets in the document attachment field of price bid, attach only the detailed price breakup of the quotation as mentioned above. Detailed price breakup of the quotation must be in the format as attached in the end of this bid document.

Price to be mentioned only in price bid not in Techno commercial bid or any other place. If it is mentioned any other part other than price bid, the offer will be rejected.

16. Qualification/ Eligibility Criteria

A. EXPERIENCE & PAST PERFORMANCE:

The bidder (manufacturer or principal or authorized representative - hereinafter referred simply as 'The Bidder') should have manufactured and supplied at least One(1) number of "Fire Alarm System" in any one of the last five years ending on 31.03.2024.

Note:

In Support of Experience & Past Performance, Copy of Purchase Order/Supply/Work Order; respective completion certificate (from the buyer of the Goods) and Contact Details (from the buyer of the Goods) to be enc

losed along with the tender.

B. CAPABILITY - EQUIPMENT & MANUFACTURING FACILITIES:

The bidder must have an annual capacity to manufacture and supply at least One(1) number of "Fire Alarm System"

Note:

(i) In support of the Capability, the bidder has to submit copy of supporting documents i.e. Details of equipment and manufacturing facilities, engineers/managers details, number of skilled labors available with the firm, Copy of Purchase Order/Supply/Work Order; respective completion certificate, Contact Details (from the buyer of the Goods), SOP of the manufacturing process, Quality control systems, Annual Production Capacity etc.

(ii) For verifying the Capability/Capacity, India Government Mint, Kolkata reserves the right to depute its authorised representatives at the worksites of the bidder. In the event, the firm is found not having capability/capacity, their offer is liable to be rejected.

C. FINANCIAL STANDING:

1) The average annual financial turnover of the bidder during the last three years, ending on 31.03.2024, should be at least **Rs.22.10 Lakhs** as per the annual report (audited balance sheet and profit & loss account) of the relevant period, duly authenticated by a Chartered Accountant/Cost Accountant in India.

2) The net worth of the Bidder

a) should not be negative on 31.03.2024 and also

b) should not have eroded by more than 30% in the last three years, ending on 31.03.2024.

Note:

(i) For net worth erosion calculation of last three(3) years ending on 31.03.2024, audited balance sheet of financial years i.e: 2021-22, 2022-23 & 2023-24 must be submitted.

(ii) Supporting documents to be furnished as claim against the above Financial Standing: all financial standing data should be certified by certified accountants.

(iii) Non-submission or incomplete submission of documents may lead to rejection of offer.

(iv) For MSEs and Start-ups (registered for the tendered item) all financial criteria shall be exempted.

17. MSME & Make in India Status:

In case any bidder is submitting their bid as MSME and/or MII, the firm must be registered as a MSME & MII in GeM portal and Self-declaration along with documentary evidence in this regard must be submitted declaring that their MSME & MII status is updated in GeM portal also. In further evaluation stage if it is found that the firm is not registered as MSME and/or MII in GeM, but MSME certificate and/or MII declaration is submitted along with the bid, no exemption will be given and their offer may be rejected.

18. Price Preference for MSE:

Being a Non-Split-able or non-dividable bid, the MSE quoting price within price band L1 + 15% will be awarded full/complete supply of total tendered value provided they agree to match the L1 price, considering spirit of policy for enhancing the Govt. procurement from MSE.

19. Eligible Goods and Services (Origin of Goods & Services):

(i) All goods and services to be supplied and provided for the contract shall have the origin in India or in the countries with which the Government of India has trade relations.

(ii) The word "origin" incorporated in this clause means the place from where the goods are mines, cultivated

ed, grown, manufactured, produced or processed or from where the service are arranged.

20. Special Condition: Supplier should file the returns pertaining to TCS (Section 206C (1H) for TCS collected, in the time and provide the TCS certificate to IGMK. In case of any Credit loss to IGMK by way of their failure to file Returns and provide TCS certificate in time, India Government Mint, Kolkata reserves the right to recover the amount equivalent to TCS paid along with applicable interest from the payment of further supplies.

21. GST Return:

Supplier should file the GST return for outward supplies in time. In case of any loss to India Government Mint, Kolkata by way of their failure to file GST Returns in time India Government Mint, Kolkata reserves the right to withhold the payment of further supplies till production of evidence. Any liability which will occurred on account of non-compliance of e-way bill, GST provision or any other applicable law will be borne by supplier.

22. Consignee:

General Manager, India Government Mint, Alipore, Kolkata, West Bengal, Pin - 700053.

On the consignment please mention the following details:

Order No : **Packing No :** **Net Weight :** **Gross Weight :**

23. Resolution of Disputes:

If dispute or difference of any kind shall arise between India Government Mint, Kolkata and the supplier in connection with or relating the contract, the parties shall make every effort to resolve the same amicably by mutual consultations. If the parties fail to resolve their dispute or difference by such mutual consultation within 21 days of its occurrence, then, depending on the position of the case, either the purchaser or the supplier shall give notice to the other party of its intention to commence arbitration. When the contract is with domestic supplier, the applicable arbitration procedure will be as per Indian Arbitration and Conciliation Act, 1996 as amended by Arbitration and Conciliation (Amendment) Act, 2015 and 2021. Mode of settlement of such contractual disputes/ differences shall be through Arbitration, to the India International Arbitration Centre.

24. Risk Purchase Clause :

(a) If the supplier after submission of tender and due acceptance of the same, i.e. after notification of award of contract fails to abide by the terms and conditions of these tender documents, or fails to supply the deliverables as per delivery schedule given or at any time repudiates the contract, the purchaser shall have the right to:

(i) Invoke the Security-cum-Performance Guarantee if deposited by the supplier and procure stores from other agencies at the risk and consequence of the supplier. The cost difference between the alternative arrangement and supplier tendered value will be recovered from the supplier.

(b) Supplier has to abide by all the terms and conditions of tender.

(c) In case of procurement through alternative sources and if procurement price is lower, no benefit on this account will be passed on to the supplier.

25. Quality Control Requirements:

Quality of Goods: Free from all technical defects, in compliance with our Technical Specification

i) Goods/service supplied not in conformity with tender specification will be treated as goods/service not supplied at all and supplier shall take supplied material not conforming to order specification back within 15 days. Goods/service shall be delivered by the supplier in accordance with the terms and conditions specified in the contract failing which expenses of keeping goods at purchaser's premises may be levied on supplier.

ii) Delivery date will be calculated from the date goods/services are received in acceptable quality in accordance with technical specification.

26. Anti-Bribery Management System (ABMS):

By participating in this tender, the suppliers/Vendors/ Contractors are deemed to have undertaken that the

y shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.

27. All safety and security of the workmen is the sole responsibility of the awarded firm itself and in case of any unwanted incidents India Government Mint, Kolkata authorities would not be liable under any circumstances.

28. Disclaimer :

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

29. The bidder has to submit documents as per following Check list as given below along with the Technical bid documents without fail:

1	Entire Tender Document Duly Seal & Signed on every page including technical specification as an acceptance of all terms & conditions of the tender
2	Submitted the documents as per Qualification / Eligibility criteria as per Clause 16 of buyer added bid specific ATC (i) Proof of Experience (ii) Proof of Capability (iii) Financial data
3	Documentary evidence towards PAN & GST Registration Certificate
4	Submit filled, signed & sealed copy of Manufacturer's Authorization Form as per Annexure II attached in technical specification
5	Sealed & Signed Declaration (Annexure -III attached in technical specification)
6	Proof of EMD(scanned copy) as applicable or any exemption certificate
7	Documentary/undertaking against Make in India Status i.e. being a Class I/ Class II supplier with details of percentage

-

***FOR ANY OTHER QUERIES, FIRMS MAY CONTACT IN THE BELOW DETAILS:**

Ph. No. 033 - 2401 4132,33,34,35, (Extension 336/ 319/ 326);

Email: purchase.igmk@spmcil.com

11. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

Annexure-I

SITC of Microprocessor based Fire Alarm System in India Government Mint, Kolkata

Technical Specification:

Supply, Installation, Testing and Commissioning i.e. SITC of Microprocessor based Fire Alarm System in IGM, Kolkata.

The scope of work includes the Supply, Installation, Testing and Commissioning i.e. SITC of the following:-

1. SITC of Fire Alarm Control Panel

SITC of 32-bit Microprocessor based Intelligent Addressable, Peer-to-Peer networkable, 4-loop cards expandable upto 30 loops cards FACP (Fire Alarm Control Panel) with Digital Voice Command Centre. FACP must be provided a power limited base panel with Red cabinet and door, 110 / 240 VAC 50Hz input power. FACP shall facilitate Voice Communication command function for itself as well as other control panels on the fire network. FACP shall accommodate up to 2 nos. of 12V/50AH batteries in its own housing and shall have a battery charging capacity of (up to) 2 nos. of 12V/100 AH housed externally. FACP shall have min 854 character display / min 8" Touch screen and at least 5 custom-programmable buttons for user-specific programmable functions. Each Detection Loop of FACP shall accommodate up to 250 detectors and devices in any flexible combination. FACP shall accommodate up to 3000 detectors and devices at 100% capacity in any combination. FACP shall have a supervised in-built memory storage of min 4GB space to store site-related back-up of Auto-CAD as-built Drawings, Configuration Software Back-Up, Reports, Logs, etc. FACP shall be capable to support hot standby redundant CPU with power supply with automatic transition without any manual intervention to ensure 24X7 operability of the FAS. Failure of the Voice system should not effect the failure of the talk back system and vice-versa.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

Bacnet module for 3rd party integration is also included in the scope of work.

2. SITC of Digital Amplifiers

SITC of Digital Amplifiers having 100W or above power rating, 70.7 VRMS or above voltage rating, Multi-Channel, Multi-Circuit Digital Amplifiers or Single Channel Multi Circuit Digital Amplifiers. The amplifiers shall be of same make as that of the control panel. Amplifiers shall be fully supervised and shall have same battery and power backup as that of the control panel.

There should be 1No. of Back-up amplifier (1:N) for the entire amplifiers. In case any Amplifier fails alternate backup amplifier has to take-over.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

3. SITC of Active Repeater Panel

SITC of Active Repeater Panel with 80-Character(2x40) display with supervised power supply from FACP. Repeater Panel shall monitor and control (Scroll, Acknowledge, Reset & Mute) all the events of the FACP to which it is connected and it shall have Port Vectoring/ Event Filtering capability of showing only ALARMS, TROUBLES or SUPERVISORY or customized combinations of user selected events.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

4. SITC of Colour Graphic User Interface Station

SITC of PC based Color Graphic User Interface Station(Client) to provide Annunciation, Status display, Monitoring & Control of each and every element connected to Fire Alarm System and Networks. Graphic User Interface (Client) shall be connected to the server PC via TCP/IP or, if necessary, Wireless connectivity. Client station shall provide full functionality of the server in terms of monitoring and control. However it shall have a provision of customized configuration where filtering of events shall be possible. It shall have provision for the configuration multiple password-protected operators with varying customized authority levels.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

5. SITC of Multi Sensor detector with base

SITC of Intelligent Addressable Multi-Sensor (Optical Smoke + Heat) detector with base. The optical sensor element shall have multiple selectable sensitivity levels from 0.2% Obs/ft to 3.7% Obs/ft. The ROR detection element shall have selectable rate of rise setting of 8°C per minute & 11°C per minute (or close to this value not deviating more than 1°C). Fixed temp detection element shall have two selectable settings of 57°C and 68°C (or closer to this value not deviating by 1°C). Multi-sensor detector shall have a configuration mode that gives separate alarms for smoke detection and heat detection and shall indicate the cause of alarm (smoke or heat). Also the multi-sensor shall have combined configuration mode of smoke and heat detection that gives only one evaluated alarm from a multi-sensor detector in case of a fire event. The detector shall have operating temperature range from -9°C to 50°C and humidity tolerance range up to 95% RH, Non-Condensing.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

Quantity: 138 number for Admin Building
 325 numbers for Factory
Total : 463 numbers

6. SITC of Hangers

Hangers- Supply of 25mm PVC Pipe with threaded rod 8mm, Dropin anchor, Thread jointer, Washer and nut (Hanging with ceiling - 4 mtr per piece).

Make- Finolex / Utkarsh / AKG / BEC.

The hangar must be of ISI standard.

Quantity: 120 number for Admin Building
 220 numbers for Factory
Total : 340 numbers

7. SITC of Heat detector with base

SITC of Intelligent Addressable Rate of Rise cum Fixed Temperature Heat Detector along with base. Rate-of-Rise temperature detection element shall have two selectable settings of 8° C & 11° C (or closer to this value not deviating by 1°C) and Fixed temperature sensing shall be independent of rate-of-rise sensing and shall have two selectable settings of 57° C & 68°C(or closer to this value not deviating by 1°C). The detector shall have operating temperature range from 0°C to 50°C and humidity tolerance range up to 95% RH, Non- Condensing.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

8. SITC of Indoor Application Manual Call

SITC of Intelligent Addressable Double Action Indoor Application Manual Pull Stations/ Manual Call Points(MCP) suitable for wall/column mounting. MCP shall have red coloured housing with molded, raised-letter operating instructions of contrast colour. The MCP shall latch mechanically upon operation and shall remain so until manually reset with its key by an

authorized operator. The MCP shall have operating temperature range from 0°C to 50°C and humidity tolerance range up to 93% RH, Non-condensing.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

9. SITC of Addressable Notification Appliance

SITC of Addressable Notification Devices(Hooter with Strobe). Hooter with Strobe unit shall sit directly on addressable NAC(Notification Appliance Circuit) of FACP, fully supervised and powered from FACP. Hooter and Strobe elements of the combined unit shall have independent activation & deactivation criteria. Hooter shall stop at alarm "Acknowledge" and the Strobe shall stop at panel "Reset". The Hooter and Strobe element of Hooter cum Strobe combined unit shall be selected and triggered independently from FACP for performance check and maintenance and shall be able to generate test reports. Hooter with Strobe unit shall have provision to be tested by a hand-held field diagnostic tool. The Strobe shall have multiple selectable candela settings configured and selected from the FACP. The hooter cum Strobe unit shall deliver output up to 94 db at 3m from its installed location. The sounder/strobe unit shall display the voltage received by them at the control panel. Coordination or synchronization of the Strobes are required for both Audio signal & Visual Signal to comply with ADA (Americans with Disabilities Act) and distinctive signalling across the infrastructure.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

10. SITC of Monitor Module

SITC of Intelligent Addressable, Supervised Monitor Module monitoring Potential-free, Normally Open Dry Contact input. The Monitor Module shall have operating temperature range from 0°C to 70°C and a humidity tolerance of up to 93% RH, Non-Condensing.

Make- Zettler/ Fireclass/Simplex/Notifire/Edwards or equivalent.

11. SITC of Control Relay Modules

SITC of Control Relay Modules- SITC of Intelligent Addressable Potential-free, Form-C, SPDT contact based control module to trigger 3rd party utilities like AHU shut-off, Pressurization fan activation, Special notification activation etc. The contact shall be rated for 2A@24Vdc (Resistive) & 1A@24Vdc(Inductive). The control module shall have operating temperature range from 0°C to 49°C and a humidity tolerance of up to 93% RH, Non-Condensing.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

12. SITC of Short Circuit Isolator

SITC of Intelligent Addressable, Supervised Short-Circuit Isolator module or base / SITC of Intelligent Addressable in-built isolator detectors and modules but the same must be UL listed and FM approved. The Isolator Monitor Module shall have operating temperature range from 0°C to 49°C and a humidity tolerance of up to 90% RH, Non- Condensing.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

13. SITC of Wall mount speakers

SITC of Wall Mount Speakers- SITC of 2W Multi-Tap(0.25W; 0.5W; 1W; 2W), Wall Mount, Red speakers with white "FIRE" lettering. The speakers shall be of same make as that of the Control Panel & Amplifiers and shall have a Rugged, high impact, flame retardant thermoplastic housings. They shall be compatible with supplied Amplifiers and shall work on 70.7Vrms. The speakers should be of the same make as the fire alarm system.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

14. SITC of Fire fighter telephone station

SITC of Fire Fighter Telephone Station complete with Fire Fighter's Handset and Accessories enclosed in a Red Enclosure. The fire fighter's handset should be of the same make as the fire alarm system or equivalent.

Note: There shall be 1 no. master telephone handset and it should be integrated inside the main fire alarm panel.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

15. SITC of Addressable Fire telephone jack

SITC of Addressable Fire Telephone Jack. The fire telephone jack should be of the same make as the fire alarm system or equivalent.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

16. SITC of Response indicator

Response Indicator.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

17. SITC of LPG detector

LPG Detector.

Make- Zettler/Fireclass/Simplex/Notifire/Edwards or equivalent.

18. SITC of 2core 1.5sqmm red fire cable

Supply & Installation of 2 core 1.5mm fire cable(Colour: Red) with metal bar shedel, screw & wooden plugs.

Make-Polycab/Finolex/Masterflex or equivalent.

19. SITC of 2core 1.5sqmm black fire cable

Supply & Installation of 2 core 1.5mm fire cable(Colour: Black)with metal bar shedel, screw & wooden plugs.

Make-Polycab/Finolex/Masterflex or equivalent.

20. SITC of 0.5sqmm 1pair telephone cable

Supply & Installation of 0.5sq mm 1 pair telephone cable.

Make-Polycab/Finolex/Masterflex or equivalent.

21. SITC of Telephone MDF Krone module

Telephone MDF Krone Module

Make- Krone/ADC/Panasonic or equivalent.

22. SITC of 4x4 PVC Box

Supply & Installation of 4*4 PVC Box or metal box

Make- Finolex/Utkarsh/AKG/BEC or equivalent.

23. Workstation-i7,11th gen,Windows11Pro

Workstation(Core i7 11th Gen,32 GB Ram, 8TB HDD, Windows 11 Pro, 21 inch Monitor) or higher configuration.

Make- Hp/Dell/Lenovo/Acer/Asus.

24. Commissioning charges of the entire system

Commissioning charges of the entire system at Administrative building & Factory area of India Government Mint, Kolkata.

The above mentioned items from Sl. Nos- 1 to 5 and 7 to 17 must be UL & ULC Listed, FM approved or equivalent.

Item nos- 6 and 18 to 22 must be of ISI standard.

*** Spares and Consumables:**

For 1year must be provided with the Fire Alarm System as per recommendation of the supplier if any.

*** Final Acceptance Test:**

For 6days successful operation of the Fire Alarm System is needed.

* Prospective firms may see our site and assess the suitability before submitting the offers.

The Contract Awarded firm has to provide the following:

1. Document depicting sequence of operation
2. Floor plan with device location
3. Equipment data sheet
4. Operation & Maintenance Manual in 3 sets of hardcopy & softcopy
5. Electrical and electronic diagram
6. Drawing of the installed system
7. Copy of the site-specific software including instructions on how to get access of the system by entering provided password (software should not be locked i.e. it should be usable for entire life-span period of the Fire Alarm system)
8. The firm shall submit a declaration for the availability of spares & consumables of the entire system for the next 10 years

Manufacturer's Authorization Form

To
India Government Mint, Kolkata

A unit of Security Printing & Minting
Corporation of India Limited

(Wholly owned by Govt. of India)

Ref. Your Tender document No....., dated

Dear Sirs,

We,, who are proven and reputable manufacturers of
..... (*name and description of the goods offered in the tender*) having factories
at....., hereby authorize Messrs.....
(*name and address of the agent*) to submit a tender, process the same further and enter into a contract with you
against your requirement as contained in the above referred tender enquiry documents for the above goods
manufactured by us.

We further confirm that no supplier or firm or individual other than Messrs.
..... (*name and address of the above agent*) is authorized to submit a tender, process the
same further and enter into a contract with you against your requirement as contained in the above referred
tender enquiry documents for the above goods manufactured by us.

We also hereby extend our full warranty, as applicable as per clause 16 of the General Conditions of Contract
read with modification, if any, in the Special Conditions of Contract for the goods and services offered for
supply by the above firm against this tender document.

Yours faithfully,

.....
.....

[Signature with date, name, and designation]

for and on behalf of Messrs.....
[Name & address of the manufacturers]

*Note: This letter of authorization should be on the letter head of the manufacturing firm and should be signed by
a person competent and having the power of attorney to legally bind the manufacturer.*

GeM Bid Document No. :dated.
(To be submitted on the letter head of the bidder)

DECLARATION

We do hereby declare that,

1. We have not been blacklisted/ debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
2. We do hereby declare that we have read and understood all terms and conditions of tender document including Technical Specification, Quality Control Criteria, Buyer added bid specific ATC and confirm to abide to those conditions without any counter conditions.
3. "We are accepting all the terms and conditions of this GeM tender document unconditionally without any deviations"
4. We do accept all the terms and conditions of GIT & GCC link given in buyer added bid specific ATC without any deviation.

Signature

Name

Designation

Date

Stamp of the Organization

IMPORTANT

Before submission of Tender, please fill up & submit the following points in your company letter head duly sealed & signed.

We have submitted following documents:

1. Entire GeM Bid document duly sealed & signed every page (including Annexure I to Annexure IV duly filled sealed and signed)
2. Proof of EMD(scanned copy) as applicable or any exemption certificate
3. Documentary evidence towards PAN & GST Registration Certificate duly sealed and signed.
4. Documentary/undertaking against Make in India Status i.e: being a Class I/Class II Supplier with details of Percentage
5. The firms participating as MSE/NSIC/DIC/Start-up India Campaign, needs to enclose certificates containing validity.
6. If participating as MSME, then please mention Category of MSME Firm: SC/ST/GEN. Owner of the company Male/Female.
7. Copies of Purchase Orders & their Completion Certificates for Past Experience.
8. Relevant Documents for Capability
9. Audited Balance sheet for F.Y 2021-22, 2022-23 & 2023-24 for Financial Standing.
10. We have quoted price only in Price Bid and not in Techno-commercial Bid.

Note:

The above document must be enclosed otherwise tender will be rejected.

PRICE SCHEDULE

Price to be quoted inclusive of all, complete in all respect in below mentioned format, as per details mentioned in Technical Specifications, Annexure-I)

Schedule Number	Description	Quantity	Unit	Basic Price/Unit	Other Charges (if any)/Unit	GST Amount in Rs./Unit	Total Price inclusive of all/Unit	Total Price inclusive of all for Total quantity
1	SITC of Fire Alarm Control Panel	1	Number					
2	SITC of Digital Amplifiers	2	Numbers					
3	SITC of Active Repeater Panel	1	Number					
4	SITC of Colour Graphic User Interface Station	1	Number					
5	SITC of Multi Sensor detector with base	463	Numbers					
6	SITC of Hangers	340	Numbers					
7	SITC of Heat detector with base	6	Numbers					
8	SITC of Indoor Application Manual Call	12	Numbers					
9	SITC of Addressable Notification Appliance	18	Numbers					
10	SITC of Monitor Module	15	Numbers					
11	SITC of Control Relay Modules	15	Numbers					
12	SITC of Short Circuit Isolator	22	Numbers					
13	SITC of Wall mount speakers	34	Numbers					
14	SITC of Fire fighter telephone station	10	Numbers					
15	SITC of Addressable Fire telephone jack	22	Numbers					
16	SITC of Response indicator	155	Numbers					
17	SITC of LPG detector	6	Numbers					
18	SITC of 2core 1.5sqmm red fire cable	9500	Meters					
19	SITC of 2core 1.5sqmm black fire cable	2500	Meters					
20	SITC of 0.5sqmm 1pair telephone cable	2200	Meters					
21	SITC of Telephone MDF Krone module	12	Numbers					
22	SITC of 4x4 PVC Box	332	Numbers					
23	Workstation-i7,11th gen, Windows 11Pro	1	Number					
24	Commissioning charges of the entire system	1	Activity Unit					

Grand Total Price for item serial number 1 to 24 on FOR, India Govt. Mint, Kolkata Basis:

Grand Total Price for item serial number 1 to 24 on FOR, India Govt. Mint, Kolkata Basis in words :

Abbreviation "FOR" Free on Rail(i.e: Landed cost to the India Govt. Mint, Kolkata inclusive of all taxes & duties), "IGM" India Govt. Mint.

NOTE :

1. L1 firm will be declared from valid offers only those who submitted offer as per specification & as per all terms & condition of the tender. If there is any deviation in specification & if the offer is not found as per terms & condition of the tender, their offer will be treated as invalid/unresponsive offer.
2. Price to be mentioned only in price bid not in Techno commercial bid or any other place. If it is mentioned any other part other than price bid, the offer will be rejected.